

# LIVIA 60

## DOWNLIGHT



LED ceiling surface downlight with no visible screws, suitable for outdoor and indoor installations. Made of shockproof resin material, UV-rays stabilized, rust and corrosion-free. Supplied with TÜV-CB certified, long-life, and efficient **G9 LED lamps included**. Insulation class II, protection rating IP44.




*Lampada a soffitto senza viti a vista adatta sia ad uso esterno che interno. Realizzata in resina antiurto, stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione. Fornita con inclusa lampadina a LED G9, certificata TÜV-CB, di lunga durata ed elevata efficienza. Classe di isolamento II, grado di protezione IP44.*



1A9.000.Z1L





**LIVIA 60 - COMPONENTS**

**IP55**



**BASE** made of shockproof resin material suitable for the electrical devices fixation and provided complete with G9 lampholder.

*BASE in resina antiurto predisposta per il fissaggio degli accessori elettrici e fornita completa di portalamпада G9.*



**DIFFUSER** with frosted finishing made of shockproof resin material (PC), complete with silicone rubber gasket to ensure high protection against external agents.

*DIFFUSORE satinato in resina antiurto (PC) completo di guarnizione in gomma silicónica per garantire un alto livello di protezione contro gli agenti esterni.*



**COVER** made of shockproof resin material, UV-rays stabilized, rust and corrosion-free. Quick and easy locking system to the base without screws.

*COVER realizzata in resina antiurto, stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione. Sistema di aggancio alla base facile e veloce senza l'ausilio di viti.*

**LIVIA 60**

— 60 —



69

**Dimensions and weight**

Diameter: Ø60 mm  
Height: 69 mm  
Weight: 0,10 Kg

**Moulded colours:**

■ Black ■ White ■ Grey

**Diffuser PC:**

■ Frosted

**G9 LED**

**100 - 240 V**

\*ADD. SUFFIX



**1,7 W**

**170 Lm**

4000 K

.Z1L

3000 K

.Z1R

Ceiling surface downlight supplied with TÜV-CB certified, long-life and efficient **G9 LED lamp included**. Quick and easy lamp replacement for a very simple maintenance after installation.

- **COST SAVING:** long-life and efficient LED light sources
- **BUILT-IN DRIVER:** quick and easy lamp replacement
- **GREAT FLEXIBILITY:** G9 standard lamp holder
- **FUTURE-PROOFED LUMINARIES:** performances easy to upgrade to latest technology developments
- **100-240V:** wide voltage range to protect the driver from power surges.

**LED LAMPS**




Technical details on page 552.

\* ADD THESE SUFFIXES TO THE REFERENCES MENTIONED IN THE CATALOGUE

# LIVIA RANGE

## DOWNLIGHT





LIVIA 60		
1A9.000.Z1L	<b>1,7W</b>	1A9.000.Z1R
4000K	G9 LED LAMP INCLUDED	3000K

Pcs 50  
Kg 13,1  
mc 0,057

LIVIA 90	
<b>3.5 W</b>	2A9.000.U1K
<b>6 W</b>	2A9.000.L1K

CCT SETTABLE GU10 LED LAMP INCLUDED  
2700K/4000K

Pcs 30  
Kg 12,6  
mc 0,09

LIVIA 160	
<b>3W</b>	3A9.000.G1K
<b>7W</b>	3A9.000.C1K
<b>10W</b>	3A9.000.D1K

CCT SETTABLE GX53 LED LAMP INCLUDED  
3000K/4000K/6500K

Pcs 18  
Kg 15,3  
mc 0,092

LIVIA 180		
4A9.000.R1L	<b>15W</b>	4A9.000.R1R
4A9.000.Q1L	<b>30W</b>	4A9.000.Q1R

4000K E27 HIGHPOWER LED LAMP INCLUDED 3000K

Pcs 12  
Kg 22,5  
mc 0,147