



# **Product Datasheet**

13 Wall & Ceiling LED>Outdoor Wall Dark Lights Die cast

## 67398A/AN/W



2x3W LED wall light, IP54, ideal for both indoor and outdoor installation.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads







Dimensions



#### Gallery



#### **Physical Specification**

Item Group	13 Wall & Ceiling LED
Family	Outdoor Wall Dark Lights Die cast
Order Code	67398A/AN/W
Colour	Anthracite
Material	Die Cast
Shape	Rectangular
Length	90mm

Width	68mm
Height	166mm
Surface Wall	Yes
Indoor	Yes
Outdoor	Yes
ectrical Characteristics	
Gear	Built In
Fitting + Driver	
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	2x3W
IP Rating	IP54
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	350mA
Voltage	17V
Power(Watts)	5,95W
IP Rating	IP54
Light Source	LED built in
LED Type	СОВ
LED Brand	Cree

Gear Type	Led Driver
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	3-6,1W
Power Factor	0,5
Constant Current	Yes
350mA	8,5-17,5V
IP Rating	IP20
Safety Class	
Dimmable	No
Ambient Temp	-20°C~50°C
Operating Temp	75°C
Housing Material	Plastic
Output Terminal	Cable
Brand	Galoppato
Illumination Data	
Colour Temperature	3000K
Colour Temperature  Lumen Output	2x200lm
Colour Temperature  Lumen Output  Light Efficiency	2x200lm 66,67lm/W
Colour Temperature  Lumen Output  Light Efficiency  CRI	2x200lm
Colour Temperature  Lumen Output  Light Efficiency  CRI  Illumination Diagram	2x200lm 66,67lm/W 80
Colour Temperature  Lumen Output  Light Efficiency  CRI	2x200lm 66,67lm/W
Colour Temperature  Lumen Output  Light Efficiency  CRI  Illumination Diagram	2x200lm 66,67lm/W 80
Colour Temperature  Lumen Output  Light Efficiency  CRI  Illumination Diagram	2x200lm 66,67lm/W 80
Colour Temperature  Lumen Output  Light Efficiency  CRI  Illumination Diagram  Dark Light	2x200lm 66,67lm/W 80
Colour Temperature  Lumen Output  Light Efficiency  CRI  Illumination Diagram  Dark Light  Packing Info	2x200lm 66,67lm/W 80 Yes
Colour Temperature  Lumen Output  Light Efficiency  CRI  Illumination Diagram  Dark Light  Packing Info  Box Length	2x200lm 66,67lm/VV 80 Yes
Colour Temperature  Lumen Output  Light Efficiency  CRI  Illumination Diagram  Dark Light  Packing Info  Box Length  Box Width	2x200lm 66,67lm/W 80 Yes  11,5cm 8,5cm

Pcs/Carton	12
Barcode	5291889049616
HS Code	9405409900

### Certification & Warranty

Warranty	2 Years
Weee Directive	Yes



