

02 Recessed Spots Fixed LED>The Fire Rated IP65 Range

10107DFV/W



7W COB LED Fire Rated 90 minutes recessed Spot, IP65 with variable CCT, 2700K-3000K-4000K.

Supplied with Triac dimmable LED driver.

Complete with white ring.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Related items



050178/B

050178/C



Physical Specification

Item Group


02 Recessed Spots Fixed LED

Family	The Fire Rated IP65 Range
Order Code	10107DFV/W
Colour	White
Material	Metal
Shape	Circular
Height	65mm
Diameter	78mm
Cutout Hole Diameter	65mm
Recessed Ceiling	Yes
Depth Required	80mm
Indoor	Yes
Outdoor	Yes
Adjustable	No


Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	7W
IP Rating	IP65
Light Source	LED built in
Dimmable	Yes
Dimmer type	Triac
F Mark	


Fitting	
Input Type	Constant Current

Power(Watts)	7W
IP Rating	IP65
Light Source	LED built in
LED Type	SMD
F Mark	

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
IP Rating	IP20
Safety Class	
Output Terminal	Connector

Illumination Data

Colour Temperature	2700K-3000K-4000K
Lumen Output	510lm
Light Efficiency	72,86lm/W
CRI	80
Beam Angle	60°
Illumination Diagram	

Packing Info

Box Weight	0.291kg
Pcs/Carton	36
Barcode	5291889066248
HS Code	9405413990

Certification & Warranty

switch to
one light!

one
LIGHT

