

02 Recessed Spots Fixed LED>The IP65 Project Range

## 10107DL/W/W



6,5W COB LED recessed spot IP65.

Requires 700mA driver.


Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions



### Gallery



### Must be ordered separately



89008A





89008AT

## Physical Specification


Item Group	02 Recessed Spots Fixed LED
Family	The IP65 Project Range
Order Code	10107DL/W/W
Colour	White
Material	Aluminium
Shape	Circular
Height	90mm
Diameter	53mm
Cutout Hole Diameter	42mm
Recessed Ceiling	Yes
Depth Required	100mm
Indoor	Yes
Adjustable	No

## Electrical Characteristics

### Fitting

Input Type	Constant Current
Input Current	700mA
Safety Class	
Power(Watts)	6,5W
IP Rating	IP65
Light Source	LED built in
LED Type	COB
LED Brand	Bridgelux
Cable Length	40cm
F Mark	

## Illumination Data

Colour Temperature	3000K
Lumen Output	550lm
Light Efficiency	84lm/W
CRI	90
Beam Angle	38°
Illumination Diagram	
Dark Light	Yes

#### Packing Info

Box Length	6,5cm
Box Width	6,5cm
Box Height	9,5cm
Box Weight	0.210kg
Pcs/Carton	50
Barcode	5291889048756
HS Code	9405413990

#### Certification & Warranty

Warranty	5 years
----------	---------

switch to  
**one light!**

**one**  
LIGHT

