

04 Recessed Spots Adjustable LED>The Trimless COB Spot

11107BT/W/W



6,5W COB LED recessed trimless adjustable spot, suitable for indoor/outdoor applications, IP54.

Requires 700mA constant current LED driver.


Complies with standard EN60598-1 and any other specific standards.




Downloads



Dimensions



Gallery



Must be ordered separately



89008A



89008AT

Physical Specification


Item Group	04 Recessed Spots Adjustable LED
Family	The Trimless COB Spot
Order Code	11107BT/W/W
Colour	White
Material	Die Cast
Shape	Rectangular
Length	120mm
Width	120mm
Height	80mm
Cutout Hole Diameter	96mm
Recessed trimless ceiling	Yes
Depth Required	105mm
Indoor	Yes
Outdoor	Yes
Adjustable	2 Directions

Electrical Characteristics

Fitting

Input Type	Constant Current
Input Current	700mA
Voltage	9,3V
Safety Class	III
Power(Watts)	6,5W
IP Rating	IP54
Light Source	LED built in
LED Type	COB
LED Brand	Bridgelux
LED Number	1

Cable Length	40cm
--------------	------

F Mark	
--------	---

Illumination Data

Colour Temperature	3000K
--------------------	-------

Lumen Output	500lm
--------------	-------

Light Efficiency	76lm/W
------------------	--------

CRI	90
-----	----

Beam Angle	38°
------------	-----

Illumination Diagram	
----------------------	---

Dark Light	Yes
------------	-----

Packing Info

Box Length	13cm
------------	------

Box Width	13cm
-----------	------

Box Height	8cm
------------	-----

Box Weight	0.533kg
------------	---------

Pcs/Carton	30
------------	----

Barcode	5291889046998
---------	---------------

HS Code	9405413990
---------	------------

Certification & Warranty

Warranty	5 years
----------	---------

switch to
one light!

one
LIGHT

