

04 Recessed Spots Adjustable LED>The 7W COB Dark Light

11107FD/B/W



7W COB LED Adjustable Dark Light recessed spot IP20.

Complete with 300mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	04 Recessed Spots Adjustable LED
Family	The 7W COB Dark Light
Order Code	11107FD/B/W
Colour	Black
Material	Die Cast
Shape	Circular
Height	83mm
Diameter	95mm
Cutout Hole Diameter	80mm
Recessed Ceiling	Yes
Depth Required	110mm
Indoor	Yes

Adjustable

1 Direction

Electrical Characteristics

Gear

External-Included

Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

7W

IP Rating

IP20

Light Source

LED built in

Dimmable

No

F Mark



Fitting

Input Type

Constant Current

Input Current

300mA

Voltage

21V

Safety Class



Power(Watts)

6,2W

IP Rating

IP20

Light Source

LED built in

LED Type

COB

LED Brand

Epistar

LED Number

1


Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz	Yes
60 Hz	Yes
Power(Watts)	4,2-7,2W
Power Factor	0,9
Constant Current	Yes
300mA	14-24V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Brand	Lifud

Illumination Data

Colour Temperature	3000K
Lumen Output	560lm
Light Efficiency	80lm/W
CRI	80
Beam Angle	60°
Illumination Diagram	
Dark Light	Yes

Packing Info

Box Length	11,5cm
Box Width	10cm
Box Height	11,5cm
Box Weight	0,281Kg
Pcs/Carton	50
Barcode	5291889052371
HS Code	9405409900

Warranty

2 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

