



Product Datasheet

04 Recessed Spots Adjustable LED>The COB Cylinders

11107RA/W/W



6,5W COB LED recessed adjustable spot, for general lighting applications.

Requires 700mA driver.

Complies with standard EN60598-1 and any other specific standards.















Downloads









Dimensions



Gallery



Must be ordered separately





89008A

89008AT

Item Group 04 Recessed Spots Adjustable LED Family The COB Cylinders 11107RA/W/W Order Code Colour White Material Aluminium Shape Circular Height 90mm Diameter 60mm **Cutout Hole Diameter** 45mm **Recessed Ceiling** Yes Depth Required 40mm Indoor Yes Adjustable 2 Directions

Electrical Characteristics

Physical Specification

Fitting	
Input Type	Constant Current
Input Current	700mA
Voltage	9,3V
Safety Class	<u> </u>
Power(Watts)	6,5W
IP Rating	IP20
Light Source	LED built in
LED Type	СОВ
LED Brand	Citizen
F Mark	F

Illumination Data

Colour Temperature	3000K
Lumen Output	500lm
Light Efficiency	76lm/W
CRI	90
Beam Angle	36°
Illumination Diagram	
Dark Light	Yes

Packing Info	
Box Length	6,5cm
Box Width	6,5cm
Box Height	12,5cm
Box Weight	0.208kg
Pcs/Carton	36
Barcode	5291889050681

9405413990

Certification & Warranty 5 years



HS Code

