

Product Datasheet

11108LA/B/W

04 Recessed Spots Adjustable LED>Swivel Range Die cast



8W COB LED recessed adjustable spot, for general lighting applications.

Complete with 200mA driver.

Complies with standard EN60598-1 and any other specific standards.



IES O CE

Dimensions



Physical Specification

Item Group	04 Recessed Spots Adjustable LED
Family	Swivel Range Die cast
Order Code	11108LA/B/W
Colour	Black
Material	Aluminium
Shape	Circular
Height	40mm

Diameter	78mm
Cutout Hole Diameter	68mm
Recessed Ceiling	Yes
Depth Required	50mm
Indoor	Yes



Electrical Characteristics

Gear	External-Included
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	8W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	200mA
Voltage	37V
Safety Class	
Power(Watts)	7,4W
IP Rating	IP20
Light Source	LED built in
LED Type	СОВ

LED Brand	Cree
LED Number	1
F Mark	F
Gear	
Gear Type	Led Driver



Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	6,4-8W
Power Factor	0,5
Constant Current	Yes
200mA	32-40V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	Philips

Illumination Data

Colour Temperature	3000K
Lumen Output	600lm
Light Efficiency	75lm/W
CRI	80
Beam Angle	25°
Illumination Diagram	

Packing Info	
Box Length	10,5cm
Box Width	10,5cm

Box Height	11cm
Pcs/Carton	24
Barcode	5291889058892
HS Code	9405409900



Warranty	3 Years
Weee Directive	Yes

switch to one light!

Certification & Warranty



