

04 Recessed Spots Adjustable LED>The 12W COB Dark Light

## 11112TA/W/W



12W LED Dark Light Recessed adjustable spot, IP20.

Requires 700mA driver.


Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions



### Gallery



### Must be ordered separately



89015A

Related items




89015AT

Physical Specification


Item Group	04 Recessed Spots Adjustable LED
Family	The 12W COB Dark Light
Order Code	11112TA/W/W
Colour	White
Material	Die Cast
Shape	Circular
Height	100mm
Diameter	104mm
Cutout Hole Diameter	92mm
Recessed Ceiling	Yes
Depth Required	115mm
Indoor	Yes
Adjustable	1 Direction

Electrical Characteristics

Fitting	
Input Type	Constant Current
Input Current	700mA
Safety Class	III
Power(Watts)	12W
IP Rating	IP20
Light Source	LED built in
LED Type	COB

LED Brand	Bridgelux
LED Number	1
Cable Length	40cm
F Mark	

#### Illumination Data

Colour Temperature	3000K
Lumen Output	1100lm
Light Efficiency	91,67lm/W
CRI	90
Beam Angle	40°
Illumination Diagram	
Dark Light	Yes

#### Packing Info

Box Length	11,5cm
Box Width	11,5cm
Box Height	12,5cm
Box Weight	0,322Kg
Pcs/Carton	50
Barcode	5291889043997
HS Code	9405409900

#### Certification & Warranty

Warranty

5 Years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

