


Product Datasheet

www.1-light.eu

04 Recessed Spots Adjustable LED>The IP54 COB Outdoor/Bathroom

11113D/W/W



13W LED adjustable COB Extractable Range, IP54.

Requires 350mA driver.

Complies with standard EN60598-1 and any other specific standards.





Must be ordered separately



89015

Related items



89015T

Physical Specification

Item Group

04 Recessed Spots Adjustable LED



Family	The IP54 COB Outdoor/Bathroom Range Die cast
Order Code	11113D/W/W
Colour	White
Material	Die Cast
Shape	Circular
Height	78mm
Diameter	90mm
Cutout Hole Diameter	80mm
Recessed Ceiling	Yes
Depth Required	110mm
Indoor	Yes
Outdoor	Yes
Adjustable	1 Direction

Electrical Characteristics

Constant Current
350mA
13W
IP54
LED built in
СОВ
Citizen
40cm
F
3000K



Lumen Output	1100lm
Light Efficiency	84,61lm/W
CRI	92
Beam Angle	38°
Illumination Diagram	
Dark Light	Yes

Packing Info

Pcs/Carton	36
Barcode	5291889066903
HS Code	9405409900

Certification & Warranty	
Warranty	3 Years
Weee Directive	Yes

switch to one light!



