

04 Recessed Spots Adjustable LED>The IP54 COB Outdoor/Bathroom Range Die cast

11207WD/W/W



2x6,5W LED Dark Light Recessed adjustable spot, IP54.

Requires 700mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Must be ordered separately



89008A



89008AT

Physical Specification


Item Group	04 Recessed Spots Adjustable LED
Family	The IP54 COB Outdoor/Bathroom Range Die cast
Order Code	11207WD/W/W
Colour	White
Material	Die Cast
Shape	Rectangular
Length	168mm
Width	90mm
Height	83mm
Cutout Hole Width	160mm
Cutout Hole Length	83mm
Recessed Ceiling	Yes
Depth Required	100mm
Indoor	Yes
Outdoor	Yes
Adjustable	1 Direction

Electrical Characteristics

Fitting

Input Type	Constant Current
Input Current	700mA
Safety Class	
Power(Watts)	2x6,5W
IP Rating	IP54
Light Source	LED built in
LED Type	COB
LED Brand	Bridgelux
LED Number	2

Cable Length	40cm
--------------	------

F Mark	
--------	---

Illumination Data

Colour Temperature	3000K
--------------------	-------

Lumen Output	2x600lm
--------------	---------

Light Efficiency	92lm/W
------------------	--------

CRI	90
-----	----

Beam Angle	36°
------------	-----

Illumination Diagram	
----------------------	---

Dark Light	Yes
------------	-----

Packing Info

Box Length	17,5cm
------------	--------

Box Width	9,5cm
-----------	-------

Box Height	10cm
------------	------

Box Weight	0.675kg
------------	---------

Pcs/Carton	16
------------	----

Barcode	5291889050704
---------	---------------

HS Code	9405413990
---------	------------

Certification & Warranty

Warranty	5 years
----------	---------

switch to
one light!

one
LIGHT

