

13 Wall & Ceiling LED>LED Fashion Cylinders

## 12122C/W/W



22W COB LED Cylinder, ideal for residential and commercial illumination.

Complete with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	13 Wall & Ceiling LED
Family	LED Fashion Cylinders
Order Code	12122C/W/W
Colour	White
Material	Die Cast
Shape	Circular
Height	100mm
Diameter	100mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

## Gear

## Built In

## Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

22W

IP Rating

IP20

Light Source

LED built in

Dimmable

No

F Mark



## Fitting

Input Type

Constant Current

Input Current

500mA

Voltage

39,4V

Power(Watts)

19,7W

IP Rating

IP20

Light Source

LED built in

LED Type

COB

LED Brand

Bridgelux

## Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Power(Watts)


15-21W

Power Factor

0,95

Constant Current	Yes
500mA	30-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Brand	Kegu

### Illumination Data

Colour Temperature	3000K
Lumen Output	1500lm
Light Efficiency	68,18lm/W
CRI	90
Beam Angle	38°
Illumination Diagram	

### Packing Info

Box Length	14,5cm
Box Width	14cm
Box Height	11cm
Box Weight	0.655kg
Pcs/Carton	20
Barcode	5291889059387
HS Code	9405413990

Warranty

3 Years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

