



## **Product Datasheet**

#### 11 Office & Kitchen>LED Linear Floating Light

### 38148N/C



48W Surface fitting ideal for installation in offices, IP20.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads









ime	

1200mm	
	 120mm

#### Physical Specification

Item Group	11 Office & Kitchen
Family	LED Linear Floating Light
Order Code	38148N/C
Colour	White
Material	Aluminium
Diffuser Material	PC
Shape	Rectangular
Length	1200mm
Width	120mm
Height	20mm
Surface Ceiling	Yes
Indoor	Yes

Gear Built In Fitting + Driver Input Voltage 220-240V 50 Hz Yes 60 Hz Yes Safety Class Power(Watts) 48W IP20 IP Rating LED built in **Light Source** Dimmable No F F Mark Fitting Input Type **Constant Current** Input Current 360mA Voltage 120V Power(Watts) 43,2W IP Rating IP20 Light Source LED built in LED Type SMD 2835 Gear Gear Type Led Driver Input Voltage 220-240V 50 Hz Yes 60 Hz Yes Power(Watts) 10,5-15W Power Factor 0,9 **Constant Current** Yes

Output	360mA
Voltage Range	120V
IP Rating	IP20
Safety Class	
Dimmable	No
Illumination Data	
Colour Temperature	4000K
Lumen Output	4800lm
Light Efficiency	100lm/W
CRI	80
Illumination Diagram	
Packing Info	
r acking into	
Box Weight	2.100kg
Pcs/Carton	4
Barcode	5291889066323
HS Code	9405409900
Certification & Warranty	
Warranty	2 Years
Weee Directive	Yes

# switch to one light!

