

Product Datasheet

www.1-light.eu

03 Recessed Spots Adjustable>The Dual Ring Range Square

51105AB/AL



Recessed adjustable MR16 spot with GU5.3 lampholder.

Complies with standard EN60598-1 and any other specific standards.



Downloads	Dimensions
	94mm 94mm 94mm 30mm
Physical Specification	
Item Group	03 Recessed Spots Adjustable
Family	The Dual Ring Range Square

Order Code

Colour

Material

Shape

Length

51105AB/AL

Aluminium

Aluminium

Rectangular

94mm

Width	94mm
Height	30mm
Cutout Hole Diameter	80mm
Recessed Ceiling	Yes
Depth Required	75mm



Adjustable

Yes

2 Directions

Electrical Characteristics

Fitting	
Input Type	Constant Voltage
Input Voltage	12V AC/DC
Safety Class	
Power(Watts)	50W
IP Rating	IP20
Light Source	Replaceable lamp
Lamp Holder	GU5.3
Number of Lamps	1
Cable Length	40cm

Illumination Data

Illumination Diagram



Packing Info

Box Length	12,5cm
Box Width	5cm
Box Height	10cm
Box Weight	0,155kg

Pcs/Carton	50
Barcode	5291889005001
HS Code	9405409900



Warranty	5 Years
Weee Directive	Yes

switch to one light!

Certification & Warranty



