one LIGHT

13 Wall & Ceiling LED>Indoor Mini Series Natural aluminium

60008/AL/D

2x1W LED Indoor Mini Series, IP20.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.

IP20 CE

Downloads

Dimensions

45mm
90mm
75mm

Physical Specification

Item Group	13 Wall & Ceiling LED
Family	Indoor Mini Series Natural aluminium
Order Code	60008/AL/D
Colour	Aluminium
Material	Natural Aluminium
Shape	Rectangular
Length	75mm
Width	45mm
Height	90mm
Surface Wall	Yes
Indoor	Yes

Gear	Built In

Fitting + Driver

Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	⏚
Power(Watts)	2x1W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	▽F

Fitting

Input Type	Constant Current
Power(Watts)	2W
IP Rating	IP20
Light Source	LED built in

Gear

Gear Type	Led Driver
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Constant Current	Yes
IP Rating	IP20
Safety Class	▢
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable

Brand	Galoppato

Illumination Data

Colour Temperature	6000K
Illumination Diagram	

Packing Info

Box Weight	0.246kg
Pcs/Carton	50
Barcode	5291889015703
HS Code	9405413990

Certification & Warranty

Warranty	2 Years
Weee Directive	Yes

switch to
one light!