




# **Product Datasheet**

## New 2021 Edition 2>Decorative

# 61122/C/W



E14 Wall Hotel Range fitting with Black fabric shade and 3W LED, IP20.

Complete with 500mA driver

Complies with standard EN60598-1 and any other specific standards.



Downloads







#### Dimensions



#### **Physical Specification**


Item Group	New 2021 Edition 2
Family	Decorative
Order Code	61122/C/W
Colour	Chrome
Material	Metal
Diffuser Material	Fabric
Shape	Rectangular
Length	170mm
Width	135mm
Height	300mm
Surface Wall	Yes
Indoor	Yes

## Electrical Characteristics

Gear	External-Included
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	3W LED + 8W E14
IP Rating	IP20
Light Source	Replaceable lamp
Lamp Holder	E14
Number of Lamps	1
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	500mA
Voltage	2,9V
Power(Watts)	1,45W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Brand	Bridgelux
Gear	
Gear Type	Led Driver
Input Voltage	220-240V

50 Hz	Yes
60 Hz	Yes
Power(Watts)	1-2W
Power Factor	0,5
Constant Current	Yes
500mA	2-4V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	COIC
Protection	0
Illumination Data	
Illumination Data  Colour Temperature	3000K
Illumination Data	
Illumination Data  Colour Temperature	3000K
Illumination Data  Colour Temperature  Lumen Output	3000K 150lm
Colour Temperature  Lumen Output  Light Efficiency	3000K 150lm
Colour Temperature  Lumen Output  Light Efficiency	3000K 150lm
Colour Temperature  Lumen Output  Light Efficiency  Illumination Diagram	3000K 150lm
Colour Temperature  Lumen Output  Light Efficiency  Illumination Diagram	3000K 150lm
Colour Temperature  Lumen Output  Light Efficiency  Illumination Diagram	3000K 150lm 50lm/W
Colour Temperature  Lumen Output  Light Efficiency  Illumination Diagram  Packing Info  Pcs/Carton	3000K 150lm 50lm/W

# Energy Label



#### Certification & Warranty

Warranty	2 Years
Weee Directive	Yes



