



Product Datasheet

14 Plafo>The Ultra Slim LED Panel Plafo

62018AF/W/W



18W LED slim plafo light, IP40, suitable for residential and commercial application.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads










Dimensions



Gallery



Physical Specification

Item Group	14 Plafo
Family	The Ultra Slim LED Panel Plafo
Order Code	62018AF/W/W
Colour	White
Material	Aluminium
Diffuser Material	PC
Shape	Rectangular

Width	220mm
Height	18mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No
IK Rating	4
lectrical Characteristics	
Gear	Built In
Filling & Driver	
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	18W
IP Rating	IP40
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
IP Rating	IP40
Light Source	LED built in
LED Type	SMD 4014
LED Brand	Sanan
F Mark	F
Gear	

220mm

Length

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	18W
Constant Current	Yes
IP Rating	IP20
Dimmable	No

Illumination Data	
Colour Temperature	3000K
Lumen Output	1400lm
Light Efficiency	77,78lm/W
CRI	80
Illumination Diagram	

Packing into	
Box Length	26,5cm
Box Width	23cm
Box Height	3cm
Box Weight	0.545kg
Pcs/Carton	20
Barcode	5291889051831
HS Code	9405409900

Certification & Warranty

Warranty	2 Years
Weee Directive	Yes



