

Product Datasheet

14 Plafo>The LED Panel Plafo Round

62115F/W/W



15W LED slim plafo light, IP40, suitable for residential and commercial application.


Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



| Downloads | Dimensions |
|-----------|------------|
| | |

Gallery



Physical Specification

Item Group

14 Plafo

Family

The LED Panel Plafo Round

| Order Code | 62115F/W/W |
|------------|------------|
| Colour | White |
| Material | Die Cast |
| Shape | Circular |
| Height | 39mm |



| Diameter | 240mm |
|-----------------|-------|
| Surface Ceiling | Yes |
| Indoor | Yes |
| Adjustable | No |
| | |

Electrical Characteristics

| Gear | External-Included |
|------------------|-------------------|
| | |
| Fitting + Driver | |
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Safety Class | |
| Power(Watts) | 15W |
| IP Rating | IP40 |
| Light Source | LED built in |
| Dimmable | No |
| F Mark | F |

Fitting

| Input Type | Constant Current |
|---------------|------------------|
| Input Current | 500mA |
| Voltage | 24V |
| Safety Class | |
| Power(Watts) | 12W |

| IP Rating | IP40 |
|--------------|--------------|
| Light Source | LED built in |
| LED Type | SMD 2016 |
| LED Brand | Sanan |
| F Mark | F |



Gear

| Gear Type | Led Driver |
|------------------|------------|
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Power(Watts) | 6-12W |
| Power Factor | 0,9 |
| Constant Current | Yes |
| 500mA | 12-24V |
| IP Rating | IP20 |
| Safety Class | |
| Dimmable | No |
| Housing Material | Plastic |
| Output Terminal | Cable |
| Brand | KGP |

Illumination Data

| Colour Temperature | 3000K |
|----------------------|-----------|
| Lumen Output | 1360lm |
| Light Efficiency | 67,06lm/W |
| CRI | 80 |
| Illumination Diagram | |

| Box Length | 25,5cm |
|------------|---------------|
| Box Width | 24,5cm |
| Box Height | 4,5cm |
| Box Weight | 0.870kg |
| Pcs/Carton | 10 |
| Barcode | 5291889035886 |
| Barcode | 5291889035886 |



Certification & Warranty

Warranty

2 years

switch to one light!



