

14 Plafo>The LED Decorative Plafo

## 62130L/BGL/W



30W LED Decorative Plafo, IP20, suitable for residential and commercial application.

Complete with 750mA driver.

Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions



### Physical Specification

Item Group	14 Plafo
Family	The LED Decorative Plafo
Order Code	62130L/BGL/W
Colour	Brushed Gold
Material	Aluminium
Shape	Circular
Height	57mm
Diameter	375mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

## Gear

## Built In

## Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

30W

IP Rating

IP20

Light Source

LED built in

Dimmable

No

F Mark



## Fitting

Input Type

Constant Current

Input Current

750mA

Voltage

38V

Power(Watts)

28,5W

IP Rating

IP20

Light Source

LED built in

LED Type

SMD 2835

LED Brand

Bridgelux

F Mark



## Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz


Yes

60 Hz


Yes

Power(Watts)

20,25-30W

Power Factor	0,9
Constant Current	Yes
750mA	27-40V
IP Rating	IP20
Safety Class	
Dimmable	No
Output Terminal	Cable
Brand	KEGU

#### Illumination Data

Colour Temperature	3000K
Lumen Output	2550lm
Light Efficiency	85lm/W
CRI	80
Illumination Diagram	

#### Packing Info

Box Weight	2.500kg
Pcs/Carton	1
Barcode	5291889067795
HS Code	9405413990

#### Certification & Warranty

Warranty

3 Years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

