

Product Datasheet

18 Decorative>The Crystal Swirl Range

63054C/B



CE


150W LED Decorative Pendant.

Complete with 24V driver.

Complies with standard EN60598-1 and any other specific standards.



Dime	nsions
	1010110



Physical Specification

IES

Downloads

£);

Item Group	18 Decorative
Family	The Crystal Swirl Range
Order Code	63054C/B
Colour	Black
Material	Aluminium + Steel
Diffuser Material	Crystal
Shape	Circular

Height	2500mm
Diameter	800mm
Suspended Ceiling	Yes
Indoor	Yes
Adjustable	No



Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	150W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	F

Fitting

Input Type	Constant Voltage
Input Voltage	24V DC
Safety Class	
Power(Watts)	150W
IP Rating	IP20
Light Source	LED built in
LED Туре	SMD 2835
LED Brand	Epistar

Constant Voltage
24V DC
150W
P20
_ED built in
SMD 2835
Enistar

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	150W
Power Factor	0,9




Constant Voltage	Yes
24 V	Yes
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector
Brand	ANWAY

Illumination Data

Colour Temperature	3000K
Lumen Output	8500lm
Light Efficiency	50lm/W
CRI	80
Illumination Diagram	

Packing Info	
Pcs/Carton	1
Barcode	5291889065685
HS Code	9405409900

Energy Label





Warranty	2 Years
Weee Directive	Yes

switch to one light!

Certification & Warranty



