

# **Product Datasheet**

www.1-light.eu

09 Track Lights>The COB Top Box Range

## 65619T/B/C



38W track spot with COB LED, ideal for shops and showrooms.

Supplied with electronic high frequency control driver as standard.

Complies with standard EN60598-1 and any other specific standards.



#### Downloads









#### Dimensions



#### Gallery



#### Related items



0742/15



40002A/B



40003A/B

#### Physical Specification

Item Group

09 Track Lights

Family

The COB Top Box Range

Order Code	65619T/B/C
Colour	Black
Material	Die Cast
Shape	Circular
Height	130mm
Diameter	100mm
Track mounted	Yes
Indoor	Yes
Adjustable	2 Directions
Electrical Characteristics	
Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes

Fitting + Driver  Input Voltage 220-240V  50 Hz Yes  60 Hz Yes  Safety Class  Power(Watts) 38W
Input Voltage         220-240V           50 Hz         Yes           60 Hz         Yes           Safety Class         □           Power(Watts)         38W
50 HzYes60 HzYesSafety ClassImage: Class of the content of the
60 Hz Safety Class Power(Watts)  Yes  38W
Safety Class Power(Watts)  38W
Power(Watts) 38W
IP Rating IP20
Light Source LED built in
Dimmable
Fitting
Input Type Constant Current
Input Current 900mA
Voltage 40V
Power(Watts) 36W
IP Rating
Light Source LED built in
LED Type COB

Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	27-38W
Power Factor	0,9
Constant Current	Yes
900mA	27-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Ambient Temp	50°C
Operating Temp	80°C
Housing Material	Plastic
Output Terminal	Connector
Brand	Tridonic
Protection	Short Circuit Protection

## Illumination Data

Colour Temperature	4000K
Lumen Output	3200lm
Light Efficiency	84,21lm/W
CRI	80
Beam Angle	36°
Illumination Diagram	

## Packing Info

Box Length	23cm
Box Width	24cm
Box Height	12,5cm
Box Weight	1,4kg
Pcs/Carton	16
Barcode	5291889050391
HS Code	9405409900

### Certification & Warranty

Warranty	3 Years
Average Lifetime	30000hours
Weee Directive	Yes



