

## **Product** Datasheet

www.1-light.eu

#### 09 Track Lights>The Zoomable Range

### 65650T/W/C



30W COB LED adjustable beam 20°-60° Track Spot

Complete with 750mA driver.

Complies with standard EN60598-1 and any other specific standards.





#### Dimensions



#### Related items





40002A/W



#### **Physical Specification**

Item Group

09 Track Lights

_	$\sim$	$\sim$ 1	1. 7
_	~	mı	IV
	a		I Y
			,

#### The Zoomable Range

Order Code	65650T/W/C
Colour	White
Material	Aluminium
Shape	Circular
Height	200mm



Diameter	90mm
Track mounted	Yes
Indoor	Yes
Adjustable	2 Directions

#### **Electrical Characteristics**

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	30W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
Fitting	
Input Type	Constant Current
Input Current	750mA
Voltage	38V

Power(Watts)

IP Rating

Light Source

LED Type	СОВ
LED Brand	Citizen
Gear	
Gear Type	Led Driver
Input Voltage	220-240V

28,5W

IP20

LED built in



50 Hz	Yes
60 Hz	Yes
Power(Watts)	25-30W
Power Factor	0,9
Constant Current	Yes
750mA	33-40V
IP Rating	IP20
Safety Class	
Brand	Lifud

#### Illumination Data

Colour Temperature	4000K
Lumen Output	2400lm
Light Efficiency	80lm/W
CRI	80
Beam Angle	20°-60°
Illumination Diagram	

#### Packing Info

Box Length	27cm
Box Width	10,5cm
Box Height	10,5cm
Pcs/Carton	15
Barcode	5291889061106
HS Code	9405409900



Warranty	3 Years
Weee Directive	Yes

# switch to one light!

Certification & Warranty



