

Product Datasheet

www.1-light.eu

17 Hotel & Bedroom>Reading Spots Aluminium

65746/B/W



3W COB LED bedside adjustable fitting, ideal for room hotel installation, IP20.

Complete with driver. Complete with black & brass reflectors.

Complies with standard EN60598-1 and any other specific standards.



Downloads









Dimensions



Gallery



Physical Specification

Item Group	17 Hotel & Bedroom
Family	Reading Spots Aluminium
Order Code	65746/B/W
Colour	Black
Material	Aluminium
Shape	Rectangular
Length	50mm

Width	25mm
Height	120mm
Surface Wall	Yes
Indoor	Yes
Adjustable	2 Directions
Electrical Characteristics	
Gear	Built In
Fitting + Driver	
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	3W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	700mA
Voltage	4V
Safety Class	
Power(Watts)	2,8W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Brand	Samsung

Gear	
Gear Type	Led Driver
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	1,75-2,8W
Power Factor	0,5
Constant Current	Yes
700mA	2,5-4v
IP Rating	IP20
Safety Class	
Dimmable	No
Brand	Eaglrese
Illumination Data	
	3000K
Colour Temperature	3000K 150lm
Colour Temperature Lumen Output	150lm
Colour Temperature	
Colour Temperature Lumen Output Light Efficiency	150lm 50lm/W
Colour Temperature Lumen Output Light Efficiency CRI	150lm 50lm/W 80
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle	150lm 50lm/W 80
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram	150lm 50lm/W 80
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle	150lm 50lm/W 80
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram	150lm 50lm/W 80
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram	150lm/VV 80 36°
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram Packing Info Box Weight	150lm 50lm/W 80 36° 0.254kg

Certification & Warranty

switch to one light!

