



## **Product Datasheet**

13 Wall & Ceiling LED>Outdoor Wall Cylinders

67138F/G/W



6W Outdoor Wall Cylinder, IP54.

Complete with driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads







## Dimensions



## **Physical Specification**

Item Group	13 Wall & Ceiling LED
Family	Outdoor Wall Cylinders
Order Code	67138F/G/W
Colour	Grey
Material	Die Cast
Shape	Rectangular
Length	80mm
Width	80mm
Height	95mm
Surface Wall	Yes
Indoor	Yes
Outdoor	Yes

60 Hz Yes Safety Class Power(Watts) 6W IP Rating IP54 **Light Source** LED built in Dimmable No F F Mark Fitting Input Type **Constant Current** Input Current 500mA Voltage 10V (III) Safety Class Power(Watts) 5W IP Rating IP54 Light Source LED built in COB LED Type **LED** Brand Edison Gear Gear Type Led Driver

Input Voltage 100-240V 50 Hz Yes 60 Hz Yes Power(Watts) 3-6W

Power Factor	0,5
Constant Current	Yes
500mA	6-12V
IP Rating	IP20
Safety Class	
Dimmable	No
Ambient Temp	50°C
Operating Temp	70°C
Brand	Eaglerise
Illumination Data	
Calavia Taran aratura	200014
Colour Temperature	3000K
Lumen Output	440lm
Light Efficiency	73,33lm/W
CRI	80
Beam Angle	35°
Illumination Diagram	
Packing Info	
Box Weight	0.700kg
Pcs/Carton	12
Barcode	5291889024279
HS Code	9405409900

## Certification & Warranty

Warranty	2 Years
Weee Directive	Yes



