



## **Product Datasheet**

#### 13 Wall & Ceiling LED>Outdoor Wall Bricks

### 67176/G/W



3W LED wall light, IP54, ideal for both indoor and outdoor installation.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.




Downloads







D:	! .	
	iensic	m



#### **Physical Specification**

Item Group	13 Wall & Ceiling LED
Family	Outdoor Wall Bricks
Order Code	67176/G/W
Colour	Grey
Material	Die Cast
Shape	Rectangular
Length	220mm
Width	50mm
Height	90mm
Surface Wall	Yes
Indoor	Yes
Outdoor	Yes

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	3W
IP Rating	IP54
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Power(Watts)	3W
IP Rating	
- rading	IP54
Light Source	LED built in
Light Source	
Light Source  Gear	LED built in
Light Source  Gear  Gear Type	LED built in  Led Driver
Light Source  Gear  Gear Type  Input Voltage	LED built in  Led Driver  220-240V
Cear Gear Type Input Voltage 50 Hz	Led Driver  220-240V Yes
Gear Gear Type Input Voltage 50 Hz 60 Hz	Led Driver  220-240V  Yes  Yes
Gear Gear Type Input Voltage 50 Hz Fower(Watts)	Led Driver 220-240V Yes Yes 3W
Gear Gear Type Input Voltage 50 Hz 60 Hz Power(Watts) Constant Current	Led Driver 220-240V Yes Yes 3W Yes
Light Source  Gear  Gear Type  Input Voltage  50 Hz  60 Hz  Power(Watts)  Constant Current  IP Rating	Led Driver 220-240V Yes Yes 3W Yes
Gear Gear Type Input Voltage 50 Hz 60 Hz Power(Watts) Constant Current IP Rating Safety Class	LED built in  Led Driver  220-240V  Yes  Yes  3W  Yes  IP20

#### Illumination Data

**Colour Temperature** 

3000K

Illumination Diagram

#### Packing Info

Box Weight 0.800kg

Pcs/Carton 12

Barcode 5291889024514

HS Code 9405409900

#### Certification & Warranty

Warranty 2 Years

Weee Directive Yes

# switch to one light!

