

## 14 Plafo>The LED Plafo Outdoor Round

## 67280N/W/W



16W LED plafo light, IP65, ideal for both indoor and outdoor installation.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions



### Physical Specification

Item Group	14 Plafo
Family	The LED Plafo Outdoor Round
Order Code	67280N/W/W
Colour	White
Material	Plastic
Diffuser Material	PC
Shape	Circular
Height	75mm
Diameter	260mm
Surface Ceiling	Yes
Indoor	Yes
Outdoor	Yes

Adjustable	
IK Rating	

No
8

## Electrical Characteristics

Gear
------

Built In
----------

### Fitting + Driver


Input Voltage
50 Hz
60 Hz
Safety Class
Power(Watts)
IP Rating
Light Source
Dimmable
F Mark

220-240V
Yes
Yes

16W
IP65
LED built in
No


### Fitting


Input Type
Input Current
Voltage
Power(Watts)
IP Rating
Light Source
LED Type
LED Brand
LED Number
F Mark

Constant Current
500mA
30V
15W
IP65
LED built in
SMD 2835
Epistar
81



### Gear

Gear Type
-----------

Led Driver
------------

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	8,5-16W
Power Factor	0,9
Constant Current	Yes
500mA	19-32V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector
Brand	Eaglerise

#### Illumination Data

Colour Temperature	3000K
Lumen Output	960lm
Light Efficiency	60lm/W
CRI	80
Illumination Diagram	

#### Packing Info

Box Length	27cm
Box Width	27cm
Box Height	8cm
Box Weight	0.980kg
Pcs/Carton	10
Barcode	5291889043263
HS Code	9405114090

Warranty

2 Years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

