



Product Datasheet

13 Wall & Ceiling LED>Outdoor Wall Up & Down Lights Die cast

67374A/AN/W



2x6W LED wall light, IP54, ideal for both indoor and outdoor installation.

Complete with driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads










Dimensions



Gallery



Physical Specification

Item Group	13 Wall & Ceiling LED
Family	Outdoor Wall Up & Down Lights Die cast
Order Code	67374A/AN/W
Colour	Anthracite
Material	Die Cast
Shape	Rectangular
Length	180mm

Width	70mm
Height	65mm
Surface Wall	Yes
Indoor	Yes
Outdoor	Yes
Adjustable	No
Electrical Characteristics	
Electrical Characteristics	
Gear	
	Built In
Fitting + Driver	Built In
	220-240V
Fitting + Driver	
Fitting + Driver Input Voltage	220-240V
Fitting + Driver Input Voltage 50 Hz	220-240V Yes

Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	2x6W
IP Rating	IP54
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	300mA
Voltage	38V
Power(Watts)	11,4VV
IP Rating	IP54
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Edison

Gear Type	Led Driver 220-240V
Gear Type	
	220-240V
Input Voltage	
50 Hz	Yes
60 Hz	Yes
Power(Watts)	7,2-12W
Power Factor	0,9
Constant Current	Yes
300mA	26-40V
IP Rating	IP20
Illumination Data	
Colour Temperature	3000K
Lumen Output	2x420lm
Light Efficiency	70lm/W
CRI	80
Illumination Diagram	
Packing Info	

Box Length	8cm
Box Width	7,5cm
Box Height	18,5cm
Box Weight	0.800kg
Pcs/Carton	12
Barcode	5291889043614
HS Code	9405409900

Certification & Warranty

Warranty	2 Years
Weee Directive	Yes



