

Product Datasheet

67374/AN/W

13 Wall & Ceiling LED>Outdoor Wall Up & Down Lights Die cast



2x3W LED wall light, IP54, ideal for both indoor and outdoor installation.

Complete with driver.

Complies with standard EN60598-1 and any other specific standards.



Downic	bads		
Į.	IES	°O	CE

Dimensions



Physical Specification

Item Group	13 Wall & Ceiling LED
Family	Outdoor Wall Up & Down Lights Die cast
Order Code	67374/AN/W
Colour	Anthracite
Material	Die Cast
Shape	Rectangular
Length	90mm

Width	65mm
Height	65mm
Surface Wall	Yes
Indoor	Yes
Outdoor	Yes



Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	2x3W
IP Rating	IP54
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	350mA
Voltage	16V
Power(Watts)	5,6W
IP Rating	IP54
Light Source	LED built in
LED Type	SMD 5630
LED Brand	Edison

Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes



Power(Watts)	3-6W
Power Factor	0,5
Constant Current	Yes
350mA	8,5-17,5V
IP Rating	IP20

Illumination Data

Colour Temperature	3000K
Lumen Output	2x210lm
Light Efficiency	70lm/W
CRI	80
Illumination Diagram	

Packing Info

Box Length	7,5cm
Box Width	7,5cm
Box Height	11cm
Box Weight	0.462kg
Pcs/Carton	24
Barcode	5291889043591
HS Code	9405409900



Warranty	2 Years
Weee Directive	Yes

switch to one light!



