



## **Product Datasheet**

13 Wall & Ceiling LED>Down Illumination Wall Lights ABS + PC

### 67386C/AN/W



4W LED wall light, IP65, ideal for both indoor and outdoor installation.

Complies with standard EN60598-1 and any other specific standards.




Downloads







#### Dimensions



#### **Physical Specification**

Item Group	13 Wall & Ceiling LED
Family	Down Illumination Wall Lights ABS + PC
Order Code	67386C/AN/W
Colour	Anthracite
Material	ABS
Diffuser Material	PC
Shape	Rectangular
Length	220mm
Width	37mm
Height	80mm
Surface Wall	Yes
Indoor	Yes

EI	lect	trica	al C	hara	ıcte	rıst	ICS

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	4W
IP Rating	IP65
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Epistar
LED Number	28
Gear	

#### Illumination Data

Colour Temperature	3000K
Lumen Output	220lm
Light Efficiency	55lm/W
CRI	80
Illumination Diagram	

Packing	Info
i acking	IIIIC

Box Length	23cm
Box Width	9cm
Box Height	4,5cm
Box Weight	0.270kg
Pcs/Carton	20
Barcode	5291889048923
HS Code	9405114090

#### Certification & Warranty

Warranty	2 Years
Weee Directive	Yes

# switch to one light!

