



# **Product Datasheet**

13 Wall & Ceiling LED>Outdoor Wall Dark Lights Die cast

# 67398A/B/W



2x3W LED wall light, IP54, ideal for both indoor and outdoor installation.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads







Dimensions



#### Gallery



## Physical Specification

| 13 Wall & Ceiling LED             |
|-----------------------------------|
| Outdoor Wall Dark Lights Die cast |
| 67398A/B/W                        |
| Black                             |
| Die Cast                          |
| Rectangular                       |
| 90mm                              |
|                                   |

| Width                    | 68mm             |
|--------------------------|------------------|
| Height                   | 166mm            |
| Surface Wall             | Yes              |
| Indoor                   | Yes              |
| Outdoor                  | Yes              |
|                          |                  |
| ectrical Characteristics |                  |
| Gear                     | Built In         |
| Fitting + Driver         |                  |
| Input Voltage            | 100-240V         |
| 50 Hz                    | Yes              |
| 60 Hz                    | Yes              |
| Safety Class             |                  |
| Power(Watts)             | 2x3W             |
| IP Rating                | IP54             |
| Light Source             | LED built in     |
| Dimmable                 | No               |
| F Mark                   | F                |
|                          |                  |
| Fitting                  |                  |
| Input Type               | Constant Current |
| Input Current            | 350mA            |
| Voltage                  | 17V              |
| Power(Watts)             | 5,95W            |
| IP Rating                | IP54             |
| Light Source             | LED built in     |
| LED Type                 | СОВ              |
| LED Brand                | Cree             |

| Gear Type  | Led Driver                             |
|--|--|
| Input Voltage  | 100-240V                               |
| 50 Hz  | Yes                                    |
| 60 Hz  | Yes                                    |
| Power(Watts)   | 3-6,1W                                 |
| Power Factor   | 0,5                                    |
| Constant Current   | Yes                                    |
| 350mA  | 8,5-17,5V                              |
| IP Rating  | IP20                                   |
| Safety Class   |  |
| Dimmable   | No                                     |
| Ambient Temp   | -20°C~50°C                             |
| Operating Temp   | 75°C                                   |
| Housing Material   | Plastic                                |
| Output Terminal  | Cable                                  |
| Brand  | Galoppato                              |
|  |  |
|  |  |
| Illumination Data  |  |
|  |  |
| Colour Temperature   | 3000K                                  |
| Colour Temperature  Lumen Output   | 2x200lm                                |
| Colour Temperature  Lumen Output  Light Efficiency   | 2x200lm<br>66,67lm/W                   |
| Colour Temperature  Lumen Output  Light Efficiency  CRI  | 2x200lm                                |
| Colour Temperature  Lumen Output  Light Efficiency  CRI  Illumination Diagram  | 2x200lm 66,67lm/W 80                   |
| Colour Temperature  Lumen Output  Light Efficiency  CRI  | 2x200lm<br>66,67lm/W                   |
| Colour Temperature  Lumen Output  Light Efficiency  CRI  Illumination Diagram  | 2x200lm 66,67lm/W 80                   |
| Colour Temperature  Lumen Output  Light Efficiency  CRI  Illumination Diagram  | 2x200lm 66,67lm/W 80                   |
| Colour Temperature  Lumen Output  Light Efficiency  CRI  Illumination Diagram  Dark Light                                      | 2x200lm 66,67lm/W 80                   |
| Colour Temperature  Lumen Output  Light Efficiency  CRI  Illumination Diagram  Dark Light  Packing Info                        | 2x200lm 66,67lm/W 80 Yes               |
| Colour Temperature  Lumen Output  Light Efficiency  CRI  Illumination Diagram  Dark Light  Packing Info  Box Length            | 2x200lm 66,67lm/VV 80 Yes              |
| Colour Temperature  Lumen Output  Light Efficiency  CRI  Illumination Diagram  Dark Light  Packing Info  Box Length  Box Width | 2x200lm 66,67lm/W 80 Yes  11,5cm 8,5cm |

| Pcs/Carton | 12            |
|------------|---------------|
| Barcode    | 5291889060123 |
| HS Code    | 9405409900    |

### Certification & Warranty

| Warranty       | 2 Years |
|----------------|---------|
| Weee Directive | Yes     |



