

20 Garden & Underwater>LED Mushroom Bollards ABS+PC

67490/B/W



6,5W Garden Light, IP54.

Complete with 300mA driver


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	20 Garden & Underwater
Family	LED Mushroom Bollards ABS+PC
Order Code	67490/B/W
Colour	Black
Material	ABS
Diffuser Material	PC
Shape	Circular
Height	300mm
Diameter	165mm
Surface Floor/Ground	Yes
Outdoor	Yes
Adjustable	No

IK Rating

6

Electrical Characteristics

Gear

Built In

Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

6,5W

IP Rating

IP54

Light Source

LED built in

Dimmable

No

F Mark



Fitting

Input Type

Constant Current

Input Current

300mA

Voltage

20V

Power(Watts)

6W

IP Rating

IP54

Light Source

LED built in

LED Type

SMD

LED Brand

Epistar

Gear

Gear Type

Led Driver

Input Voltage


220-240V

50 Hz


Yes

60 Hz

Yes

Power(Watts)	3,6-7,2W
Power Factor	0,9
Constant Current	Yes
300mA	12-24V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Brand	Eaglerise

### Illumination Data

Colour Temperature	3000K
Lumen Output	600lm
Light Efficiency	92,3lm/W
CRI	80
Illumination Diagram	

### Packing Info

Box Weight	0.900kg
Pcs/Carton	6
Barcode	5291889066194
HS Code	9405114090

### Certification & Warranty

switch to  
**one light!**

one  
LIGHT

