

19 Wall Recessed & Inground>The Dark Light Inground Range Aluminium

69056C/W



9W COB LED inground, IP67.

Requires 24V driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Must be ordered separately



89015V



Physical Specification

Item Group	19 Wall Recessed & Inground
Family	The Dark Light Inground Range Aluminium
Order Code	69056C/W
Colour	Aluminium
Material	Natural Aluminium
Diffuser Material	Glass

Shape	Circular
Height	80mm
Diameter	85mm
Cutout Hole Diameter	70mm
Inground	Yes
Depth Required	135mm + 300mm drainage
Indoor	Yes
Outdoor	Yes
Adjustable	No
IK Rating	8

## Electrical Characteristics

### Fitting

Input Type	Constant Voltage
Input Voltage	24V DC
Safety Class	
Power(Watts)	9W
IP Rating	IP67
Light Source	LED built in
LED Type	COB
LED Brand	Prolight
Cable Length	200cm
F Mark	

## Illumination Data

Colour Temperature	3000K
Lumen Output	720lm
Light Efficiency	80lm/W
CRI	80

Beam Angle

38°

Illumination Diagram



Dark Light

Yes

### Packing Info

Box Weight

0.679kg

Pcs/Carton

24

Barcode

5291889064299

HS Code

9405413990

### Certification & Warranty

Warranty

3 years

switch to  
**one light!**

one  
LIGHT

