



Product Datasheet

20 Garden & Underwater>The LED Underwater Range Stainless steel

69064A/C



3W underwater LED spot, IP68.

Underwater only / 2m max depth.

Requires 24V driver.

Complies with standard EN60598-1 and any other specific standards.













Downloads









Dimensions



Physical Specification

| Item Group | 20 Garden & Underwater |
|----------------------|--|
| Family | The LED Underwater Range Stainless steel |
| Order Code | 69064A/C |
| Colour | Stainless Steel |
| Material | Stainless Steel 316 |
| Shape | Circular |
| Height | 102mm |
| Diameter | 80mm |
| Surface Wall | Yes |
| Surface Floor/Ground | Yes |
| Underwater | Yes |
| Adjustable | 2 Directions |

8

Electrical Characteristics

| Fitting | |
|---------------|------------------|
| Input Type | Constant Voltage |
| Input Voltage | 24V DC |
| Safety Class | |
| Power(Watts) | 3W |
| IP Rating | IP68 |
| Light Source | LED built in |
| LED Type | SMD 3030 |
| LED Brand | Bridgelux |
| LED Number | 3 |
| Cable Length | 500cm |

| Colour Temperature | 4000K |
|----------------------|-----------|
| Lumen Output | 200lm |
| Light Efficiency | 66,67lm/W |
| CRI | 80 |
| Illumination Diagram | |

Packing Info

| Pcs/Carton | 18 |
|------------|---------------|
| Barcode | 5291889066910 |
| HS Code | 9405409900 |

Certification & Warranty

| Warranty | 2 Years |
|----------------|---------|
| Weee Directive | Yes |



