




Product Datasheet

25 Lamps>Dimmable MR16 GU10 LED


7306KGD/C/45



MR16 GU10 Triac dimmable COB LED 6,5W 230V AC lamp.

Suitable for residential and commercial applications.

Complies with standard EN62560 and any other specific standards.






Downloads





Dimensions



Gallery



Physical Specification

Item Group	25 Lamps
Family	Dimmable MR16 GU10 LED
Order Code	7306KGD/C/45
Shape	Circular
Height	58mm
Diameter	50mm

Gear	
Lamp	
Input Type Mains Voltage	
Input Voltage 220-240V	
50 Hz	
60 Hz	
Power(Watts) 6,5W	
Lamp Type LED	
Lamp Holder GU10	
LED Type	
LED Brand Epistar	
Dimmable	
Dimmer type Triac	
Illumination Data	
Colour Temperature 4000K	
Colour Temperature 4000K	
Colour Temperature 4000K Lumen Output 500lm	
Colour Temperature4000KLumen Output500lmLight Efficiency83,33lm/W	
Colour Temperature4000KLumen Output500lmLight Efficiency83,33lm/WCRI80	
Colour Temperature 4000K Lumen Output 500lm Light Efficiency 83,33lm/W CRI 80 Beam Angle 45°	
Colour Temperature 4000K Lumen Output 500lm Light Efficiency 83,33lm/W CRI 80 Beam Angle 45°	
Colour Temperature 4000K Lumen Output 500lm Light Efficiency 83,33lm/W CRI 80 Beam Angle 45° Illumination Diagram	
Colour Temperature 4000K Lumen Output 500Im Light Efficiency 83,33Im/W CRI 80 Beam Angle 45° Illumination Diagram Packing Info Box Length 5,6cm	
Colour Temperature Lumen Output Light Efficiency Ray Beam Angle Illumination Diagram Packing Info Box Length Box Width 4000K 500Im 80 80 80 45° 5,6cm 5,6cm	
Colour Temperature 4000K Lumen Output 500Im Light Efficiency 83,33Im/W CRI 80 Beam Angle 45° Illumination Diagram ✓ Packing Info 5,6cm Box Length 5,6cm Box Width 5,6cm Box Height 6,6cm	
Colour Temperature 4000K Lumen Output 500Im Light Efficiency 83,33Im/W CRI 80 Beam Angle 45° Illumination Diagram Packing Info Box Length 5,6cm 5,6cm	

Barcode	5291889037668
HS Code	8539520000

Certification & Warranty	
Warranty	2 years
Switching Cycles	70000
Weee Directive	Yes



