08 Strips & Profiles>RGB Set

7820A/RGB

2W/meter RGB flexible complete LED light strip set, 30LEDs/meter. Supplied in 5 meters roll with white PCB and double adhesive tape for a better fixing.

Can be cut every 10cm (3-LED segment).

Complete with 12V DC constant voltage LED controller and remote control.

Complies with standard EN60598-1 and any other specific standards.

IP20   DIMMABLE   CE

Downloads

Dimensions

10mm

Gallery

Physical Specification

Item Group	08 Strips & Profiles
Family	RGB Set
Order Code	7820A/RGB
Shape	Rectangular
Length	5000mm

one
LIGHT

Width	10mm
Surface Ceiling	Yes
Surface Wall	Yes
Surface Floor/Ground	Yes
Indoor	Yes

Electrical Characteristics

Gear	External-Included

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	▢
Power(Watts)	2W/m
IP Rating	IP20
Light Source	LED built in
Dimmable	Yes

Fitting

Input Type	Constant Voltage
Input Voltage	12V DC
Safety Class	◇III
Power(Watts)	2W/m
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 5050
LED Number	30Leds/m

Gear

Gear Type	Led Controller

Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	3x36W
Power Factor	0,9
Constant Voltage	Yes
12 V	Yes
IP Rating	IP20
Safety Class	▢
Dimmable	Yes
Housing Material	Plastic
Output Terminal	Cable
Brand	0
Protection	0

Illumination Data

Colour Temperature	RGB
Illumination Diagram	

Packing Info

Box Length	19cm
Box Width	19cm
Box Height	6,5cm
Box Weight	0.390kg
Pcs/Carton	10
Barcode	5291889027065
HS Code	9405499090

Certification & Warranty

one
LIGHT

**switch to
one light!**

one
LIGHT