

Product Datasheet

www.1-light.eu

08 Strips & Profiles>The 4,8W/m Outdoor 24V

7820W/W



IP68 Waterproof Flexible LED light strip, with SMD2216 LEDs, 70LEDs/meter, 4,8W/meter.Supplied in 5 meters roll with white PCB and double adhesive tape for a better fixing.

Can be cut every 10cm (7-LED segment).

Requires 24V DC constant voltage LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads









Dimensions

Cut every 10cm (7-LED segment)



Gallery



Accessories







7828

Related items



20030

Physical Specification

Item Group	08 Strips & Profiles
Family	The 4,8W/m Outdoor 24V
Order Code	7820W/W
Material	Silicone
Shape	Rectangular
Length	5000mm
Width	10mm
Surface Ceiling	Yes
Surface Wall	Yes
Surface Floor/Ground	Yes
Indoor	Yes
Outdoor	Yes

Electrical Characteristics

Fitting	
Input Type	Constant Voltage
Input Voltage	24V DC
Safety Class	
Power(Watts)	4,8W/m
IP Rating	IP68
Light Source	LED built in
LED Type	SMD 2216
LED Brand	Refond

LED Number	70LEDs/m
F Mark	F
llumination Data	
numination Data	
Colour Temperature	3000K
Lumen Output	390lm/m
Light Efficiency	81,25lm/W
CRI	90
Illumination Diagram	
Packing Info	
Box Length	26cm
Box Width	25cm
Box Height	2cm
Box Weight	0,43kg
Pcs/Carton	40
Barcode	5291889017622
HS Code	9405409989
Energy Label	
ENERGY ONE Light Light 7820W/W A B C D E E E E E E E E E E E E E E E E E E	

F

Energy Class

Certification & Warranty

Warranty	3 Years
Weee Directive	Yes



