

NOVA LUCE



OUTDOOR
COLLECTION
2023



OUTDOOR

10 . MABEL	12 . ADURO	14 . TIEN	14 . MINOT	16 . TALA	18 . FOCUS	20 . RAMO
22 . ELLERY	24 . PORTAL	26 . NED	27 . VOLVEL	28 . SURF	30 . PAX	32 . ACQUA
32 . BLISS	34 . TWIN	36 . OFIR	38 . POET	40 . PARK	42 . POSEN	42 . ENZI
44 . APOLLO	46 . SUITE	47 . SUITE	48 . BRIGITTA	50 . ZELDA	52 . ZELDA	54 . DEVORA
54 . STARK	56 . STONE	58 . AGOSTO	58 . MAX	60 . PYRO	62 . STICK	64 . NOTEN
66 . ROCK	68 . TALA	70 . CETERA	72 . ZOSIA	74 . FERRON	75 . LOCK	76 . SELENA

78 . LOEVE	78 . ZEST	80 . FIGO	82 . REGINA	82 . SORREN	84 . OMIKA	86 . CARINA
88 . ISIDORA	92 . BEV	94 . CAIRO	96 . CASTRO	98 . ARAN	100 . GRANTE	100 . BARCO
102 . FOX	104 . FUENTO	104 . EMILE	106 . EMILE	107 . LIDO	110 . VALOR	110 . PRIM
110 . TRENDO	110 . MARTA	112 . LOVETO	112 . BAY	112 . DYN	114 . BALI	118 . VEIRO
118 . MILEY	120 . VIDENO	120 . ZIRI	122 . FUNGO	124 . ARABELLA	124 . CHEZ	124 . MILE
126 . COMBO	128 . BRICE	128 . CAPO	130 . PARRIS	131 . DEWI	132 . COMO	132 . SOHO
134 . ZARI	135 . COMO	136 . AGILE	136 . BRIN	138 . DARF	139 . NUS	140 . FOCUS


140. GRAVITY	142 . COMO	144 . EPIC	146 . DEWEI	147 . OVI	148 . NERO	148 . NERO
						
150. NODUS	151. LIMBIO	152 . LUPO	152 . KEEN	153 . NOBU	154 . LETO	156 . ZENON
						
156. CAPE	157. KEEN	158 . TUNE	159 . DROPLET	160 . SANTO	160 . ZENITH	161 . ZENITH
						
166. FEND	166. STAKE	166 . KIMIKO	168 . DESTRY	170 . MINI	170 . INSIDE	172. INSIDE
						
173. NORTH	176 . FOCUS	178 . CECI	180 . CERISE	180 . CERISE	182. OLIVER	182. TOMMY
						
186. BLADE	190 . FUMO	190 . FABIO	192 . SEINA	200 . ROSE	201 . COLT	202 . JIGRA
						
203 . VERHAL	204 . FIGI	204 . MOCHA	205 . VENEDO	208 . RIO	208 . LIV	210 . FINLO
						
212 . LUTON	212 . KRYPTON	214 . BRIGI	214 . AIZEN	216 . JOYA	217 . COVE	218 . PULSAR
						
222 . KRYPTON	224 . CIRCE	226 . PASSAGIO	228 . BANG	232 . WALL WASHER	234 . WALL WASHER	235 . ALP
						

01	FLOOR & WALL p. 008
02	CEMENT WALL & FLOOR p. 090
03	SOLAR & SENSOR LIGHTS p. 108
04	WALL LIGHTS p. 116
05	SPIKES p. 162
06	CEILING LIGHTS p. 174
07	SPOT LIGHTS p. 184
08	PORTABLE LIGHTS p. 188
09	STEP LIGHTS p. 206
10	WALL WASHER p. 230

FLOOR & WALL




IP54



MABEL - 9002869

Black Aluminium
& Clear Glass
LED 8.5 Watt 590Lm
3000K 220-240 Volt
Beam Angle 36° IP54
Cable Length: 64 cm
D: 7.8 W: 7.8 H: 150 cm



MABEL - 9002870

Black Aluminium
& Clear Glass
LED 17 Watt 1190Lm
3000K 220-240 Volt
Beam Angle 36° IP54
Cable Length: 35 cm
D: 48.9 W: 20.1 H: 201.2 cm





IP54



ADURO - 9002871
 Black Aluminium & Acrylic
 LED 7.6 Watt 460Lm
 3000K 200-240 Volt
 Beam Angle 78° IP54
 D: 7.5 W: 11.7 H: 35 cm



ADURO - 9002872
 Black Aluminium & Acrylic
 LED 7.6 Watt 460Lm
 3000K 200-240 Volt
 Beam Angle 78° IP54
 D: 7.5 W: 11.7 H: 65 cm





TIEN - 9002878
 Black Aluminium
 & Clear Glass
 LED 8.5 Watt 470Lm
 3000K 200-240 Volt
 Beam Angle 55° IP54
 D: 9 H: 25 cm




IP54



TIEN - 9002879
 Black Aluminium
 & Clear Glass
 LED 8.5 Watt 470Lm
 3000K 200-240 Volt
 Beam Angle 55° IP54
 D: 9 H: 65 cm



MINOT - 9026125
 Black Aluminium
 & Acrylic
 LED 12 Watt 601Lm
 3000K 100-240V
 Beam Angle 122° IP54
 L: 15 W: 9.5 H: 70 cm






IP54





TALA - 9026121
 Black Aluminium
 & Clear Glass
 LED 9 Watt 630Lm
 3000K 100-240V
 Beam Angle 120° IP54
 D: 9 H: 19.5 cm



TALA - 9026122
 Black Aluminium
 & Clear Glass
 LED 9 Watt 630Lm
 3000K 100-240V
 Beam Angle 120° IP54
 D: 9 H: 65 cm




IP54




FOCUS - 9207912

Black Aluminium
Glass Diffuser
LED GU10 1x7 Watt
100-240 Volt IP54
Bulb Excluded
D: 6.8 W: 11.5 H: 9.5 cm



FOCUS - 9279111

Black Aluminium
Glass Diffuser
LED GU10 1x7 Watt
100-240 Volt IP54
Bulb Excluded
D: 6.8 W: 13.8 H: 27 cm




FOCUS - 9279112

Black Aluminium
Glass Diffuser
LED GU10 1x7 Watt
100-240 Volt IP54
Bulb Excluded
D: 6.8 W: 13.8 H: 55 cm







RAMO - 9291701
 Dark Gray Aluminium
 Glass Diffuser
 LED GU10 1x7 Watt
 220-240 Volt IP65
 Bulb Excluded
 D: 8 W: 20 H: 14.6 cm




RAMO - 9291702
 Dark Gray Aluminium
 Glass Diffuser
 LED GU10 1x7 Watt
 220-240 Volt IP65
 Bulb Excluded
 D: 8 W: 14.6 H: 60 cm



RAMO - 9291703
 Dark Gray Aluminium
 Glass Diffuser
 LED GU10 2x7 Watt
 220-240 Volt IP65
 Bulb Excluded
 D: 8 W: 21 H: 60 cm



IP65






IP65




ELLERY - 9100917

Black Aluminium
& Acrylic
LED 12 Watt 372Lm
3000K 100-240V
Beam 60° IP65
D: 8 H: 60 cm





ELLERY - 9100918

Black Aluminium
& Acrylic
LED 12 Watt 372Lm
3000K 100-240V
Beam 60° IP65
D: 8 H: 80 cm




ELLERY - 9100916

Black Aluminium
& Acrylic
LED 12 Watt 372Lm
3000K 100-240V
Beam 60° IP65
D: 8 H: 36 cm






IP54




PORTAL - 9002840
Black Aluminium & Acrylic
LED 13.5 Watt 890Lm
3000K 220-240 Volt
Beam Angle 296° IP54
L: 17.8 W: 6.9 H: 30 cm




PORTAL - 9002841
Black Aluminium & Acrylic
LED 13.5 Watt 890Lm
3000K 220-240 Volt
Beam Angle 296° IP54
L: 17.8 W: 6.9 H: 65 cm





NED - 9104021


Dark Gray Aluminium
Glass Diffuser
LED 2x6 Watt 1150Lm
3000K 220-240 Volt 50Hz
Beam 2x38° IP54
2 Sides Light
L: 28 W: 19 H: 6 cm



Rotating

VOLVEL - 9195062

Black Die-Casting Aluminium
Acrylic Diffuser
LED 7 Watt 719Lm
3000K 220-240 Volt
Beam Angle 150° IP54
L: 20 W: 11 H: 6 cm




IP54



NED - 9104022

Dark Gray Aluminium
Glass Diffuser
LED 6 Watt 708Lm
3000K 220-240 Volt 50Hz
Beam 38° IP54
L: 15 W: 6 H: 50 cm



Rotating




VOLVEL - 9195061

Black Die-Casting Aluminium
Acrylic Diffuser
LED 7 Watt 719Lm
3000K 220-240 Volt
Beam Angle 150° IP54
L: 20 W: 6 H: 80 cm



IP54




IP65




SURF - 9176101

Anthracite Die-Casting Aluminium
LED 8 Watt 440Lm 3000K
200-240 Volt 50Hz
Beam Angle 108° IP65
L: 18 W: 18 H: 23 cm



SURF - 9176102

Anthracite Die-Casting Aluminium
LED 8 Watt 512Lm 3000K
200-240 Volt 50Hz
Beam Angle 108° IP65
L: 18 W: 18 H: 80 cm







IP54



PAX - 9756800
 Black Aluminium
 LED 9 Watt 715Lm
 3000K 100-240 Volt
 Beam Angle 108° IP54
 L: 13.5 W: 12 H: 80 cm



PAX - 9756500
 Black Aluminium
 LED 9 Watt 715Lm
 3000K 100-240 Volt
 Beam Angle 108° IP54
 L: 13.5 W: 12 H: 50 cm






BLISS - 819502

Dark Gray Aluminium
Acrylic Diffuser
LED 7 Watt 708Lm
3000K 220-240 Volt 50Hz
Beam Angle 56° IP54
AC Driver Included
L: 15 W: 6 H: 16 cm



BLISS - 819503

Dark Gray Aluminium
Acrylic Diffuser
LED 7 Watt 708Lm
3000K 220-240 Volt 50Hz
Beam Angle 56° IP54
AC Driver Included
L: 15 W: 6 H: 50 cm



ACQUA - 713312

Dark Gray Aluminium
Acrylic Diffuser
LED 5 Watt 490Lm
3000K 110-265 Volt 50Hz
Beam Angle 38° IP54
L: 12 W: 18 H: 5 cm



IP54




ACQUA - 713313

Dark Gray Aluminium
Acrylic Diffuser
LED 5 Watt 490Lm
3000K 110-265 Volt 50Hz
Beam Angle 38° IP54
L: 12 W: 5 H: 80 cm







Rotating



TWIN - 713121
 Dark Gray Aluminium
 Acrylic Diffuser
 LED 2x5 Watt 476Lm
 3000K 220-240 Volt
 Rotation 0-90° IP54
 L: 20 W: 10 H: 60 cm



Rotating



TWIN - 713122
 Dark Gray Aluminium
 Acrylic Diffuser
 LED 2x5 Watt 476Lm
 3000K 220-240 Volt
 Rotation 0-90° IP54
 L: 20 W: 10 H: 10 cm



IP54






OFIR - 9002866

Black Aluminium & Acrylic
LED 10.3 Watt 660Lm
3000K 220-240 Volt
Beam Angle 92° IP54
L: 8 W: 7 H: 16 cm




IP54




OFIR - 9002867

Black Aluminium & Acrylic
LED 10.3 Watt 660Lm
3000K 220-240 Volt
Beam Angle 92° IP54
L: 16 W: 8 H: 50 cm



OFIR - 9002868

Black Aluminium & Acrylic
LED 10.3 Watt 660Lm
3000K 220-240 Volt
Beam Angle 92° IP54
L: 16 W: 8 H: 75 cm





IP65



POET - 9492780
 Anthracite Die-Casting Aluminium
 & Clear Glass
 LED 16 Watt 1177Lm
 3000K 220-240V
 Beam Angle 90° IP65
 L: 23.5 W: 10 H: 65 cm



POET - 9492770
 Anthracite Die-Casting Aluminium
 & Clear Glass
 LED 8 Watt 560Lm
 3000K 220-240V
 Beam Angle 94° IP65
 L: 13.5 W: 10 H: 65 cm






PARK - 711024

Aluminium Dark Gray
Acrylic Diffuser
LED 6 Watt 522Lm
3000K 220-240 Volt 50Hz
Beam Angle 120° IP54
AC Driver Included
L: 9 W: 14.5 H: 18 cm



PARK - 713124

Aluminium Dark Gray
Acrylic Diffuser
LED 2x6 Watt 1044Lm
3000K 220-240 Volt 50Hz
Beam Angle 120° IP54
AC Driver Included
L: 12.5 W: 22 H: 80 cm




IP54



PARK - 713123

Aluminium Dark Gray
Acrylic Diffuser
LED 6 Watt 522Lm
3000K 220-240 Volt 50Hz
Beam Angle 120° IP54
AC Driver Included
L: 12.5 W: 12 H: 80 cm







IP54





POSEN - 9131201
 Anthracite Die-Casting
 Aluminium & Acrylic Diffuser
 LED 10 Watt 872.69Lm
 3000K 200-240 Volt
 Beam Angle 113° IP65
 L: 18 W: 19 H: 5 cm




ENZI - 9936101
 Dark Gray Aluminium
 Acrylic Diffuser
 LED 15 Watt 1630Lm
 3000K 100-240 Volt
 Beam Angle 180° IP54
 D: 18 W: 18 H: 7 cm



POSEN - 9131202
 Anthracite Die-Casting
 Aluminium & Acrylic Diffuser
 LED 10 Watt 795Lm
 3000K 200-240 Volt
 Beam Angle 113° IP65
 L: 18 W: 19 H: 65 cm




ENZI - 9936102
 Dark Gray Aluminium
 Acrylic Diffuser
 LED 15 Watt 1630Lm
 3000K 100-240 Volt
 Beam Angle 180° IP54
 D: 18 W: 18 H: 80 cm






APOLLO - 713411

Dark Gray Aluminium
Acrylic Diffuser
LED 5 Watt 522Lm
3000K 110-265 Volt 50Hz
Beam Angle 120° IP54
L: 9 W: 15 H: 4.5 cm




APOLLO - 713311

Dark Gray Aluminium
Acrylic Diffuser
LED 5 Watt 522Lm
3000K 110-265 Volt 50Hz
Beam Angle 120° IP54
L: 9 W: 15 H: 80 cm



IP54






IP54




SUITE - 9207167

Dark Gray Aluminium & Acrylic
LED 12 Watt 480Lm 3000K
100-240 Volt 50Hz
Beam 140° IP54
D: 18 H: 60 cm



SUITE - 9207168

Black Aluminium & Acrylic
LED 12 Watt 480Lm 3000K
100-240 Volt 50Hz
Beam 140° IP54
D: 18 H: 60 cm



IP54




047



SUITE - 859439

White Aluminium & Acrylic
LED 10 Watt 485Lm 3000K
100-240 Volt 50Hz
Beam 140° IP54
D: 15 W: 5 cm




SUITE - 9297191

Black Aluminium & Acrylic
LED 10 Watt 485Lm 3000K
100-240 Volt 50Hz
Beam 140° IP54
D: 15 W: 5 cm



SUITE - 859438

Dark Gray Aluminium & Acrylic
LED 10 Watt 485Lm 3000K
100-240 Volt 50Hz
Beam 140° IP54
D: 15 W: 5 cm



IP65



BRIGITTA - 9020929
 Black Aluminium
 & Anti-Glare Acrylic Diffuser
 LED 6 Watt 501Lm
 3000K 100-240V IP65
 L: 12 W: 13.7 H: 60 cm





BRIGITTA - 9020928
 Black Aluminium
 & Anti-Glare Acrylic Diffuser
 LED 6 Watt 503Lm
 3000K 100-240V IP65
 L: 12 W: 8.3 H: 20.8 cm




IP65



BRIGITTA - 9020930
 Black Aluminium
 & Anti-Glare Acrylic Diffuser
 LED 6 Watt 515Lm
 3000K 100-240V IP65
 L: 12 W: 15.5 H: 40 cm







BRIGITTA - 9020931
 Black Aluminium
 & Anti-Glare Acrylic Diffuser
 LED 6 Watt 526Lm
 3000K 100-240V IP65
 L: 12 W: 15.5 H: 80 cm





IP65



ZELDA - 9020925
Black Aluminium
& Anti-Glare Acrylic Diffuser
LED 6 Watt 342Lm
3000K 100-240V IP65
L: 12 W: 7.2 H: 15 cm




ZELDA - 9020921
Black Aluminium
& Anti-Glare Acrylic Diffuser
LED 6 Watt 335Lm
3000K 100-240V IP65
L: 12 W: 7.2 H: 40 cm



ZELDA - 9020922
Black Aluminium
& Anti-Glare Acrylic Diffuser
LED 6 Watt 301Lm
3000K 100-240V IP65
L: 12 W: 7.2 H: 80 cm






ZELDA - 9020926
 Black Aluminium
 & Anti-Glare Acrylic Diffuser
 LED 9 Watt 571Lm
 3000K 220-240V IP65
 L: 12 W: 9.4 H: 15 cm



ZELDA - 9020923
 Black Aluminium
 & Anti-Glare Acrylic Diffuser
 LED 9 Watt 590Lm
 3000K 100-240V IP65
 L: 12 W: 9.4 H: 40 cm



ZELDA - 9020924
 Black Aluminium
 & Anti-Glare Acrylic Diffuser
 LED 9 Watt 571Lm
 3000K 100-240V IP65
 L: 12 W: 9.4 H: 80 cm




IP65



IP54



DEVORA - 822642
Dark Gray Die-Casting
Aluminium & Glass Diffuser
LED 8.5 Watt 327.61Lm 3000K
220-240 Volt 50Hz IP54
D: 11 H: 65 cm





DEVORA - 826423
Dark Gray Die-Casting
Aluminium & Glass Diffuser
LED 8.5 Watt 327.61Lm 3000K
220-240 Volt 50Hz IP54
D: 11 H: 22 cm



IP65




STARK - 9492660
Anthracite Die-Casting Aluminium
& Frost Acrylic
LED 8.2 Watt 116Lm
3000K 220-240V
Beam Angle 168° IP65
D: 16 H: 14.6 cm





STONE - 9002850


White Aluminium
& Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 12 W: 15 H: 23 cm



IP54


STONE - 9002851

Black Aluminium
& Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 12 W: 15 H: 23 cm




STONE - 9002860

Black Aluminium
& Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 12 W: 12 H: 65 cm






IP65



MAX - 9026002

Dark Gray ABS
Clear & White Acrylic
LED 12 Watt 1307Lm
3000K 200-240 Volt
Beam Angle 120° IP65
D: 16 W: 10 cm



MAX - 9026001

Dark Gray ABS
Clear & White Acrylic
LED 12 Watt 1385Lm
3000K 200-240 Volt
Beam Angle 120° IP65
L: 16 W: 10 H: 16 cm



AGOSTO - 9207615

Black Die-Casting
Aluminium & Acrylic Diffuser
LED 6 Watt 420Lm 3000K
100-240 Volt 50Hz
Beam Angle 120° IP54
D: 11 W: 11 cm



IP54



AGOSTO - 9277151

Black Die-Casting
Aluminium & Acrylic Diffuser
LED 6 Watt 420Lm 3000K
100-240 Volt 50Hz
Beam Angle 120° IP54
D: 11 H: 50 cm



AGOSTO - 9207616

Black Die-Casting
Aluminium & Acrylic Diffuser
LED 6 Watt 420Lm 3000K
100-240 Volt 50Hz
Beam Angle 120° IP54
L: 11 W: 11 H: 11 cm





PYRO - 9209211
 Dark Gray Aluminium
 White Acrylic
 LED E27 1x12 Watt
 220-240 Volt IP54
 Bulb Excluded
 D: 10 W: 13 H: 21 cm



PYRO - 9209212
 Dark Gray Aluminium
 White Acrylic
 LED E27 1x12 Watt
 220-240 Volt IP54
 Bulb Excluded
 D: 10 H: 60 cm



IP54





STICK - 713412
 Dark Gray Aluminium
 White Acrylic
 LED E27 1x12 Watt
 220-240 Volt IP54
 Bulb Excluded
 L: 7.6 W: 11 H: 17 cm



STICK - 71371102
 Dark Gray Aluminium
 White Acrylic
 LED E27 1x12 Watt
 220-240 Volt IP54
 Bulb Excluded
 L: 7.6 W: 7.6 H: 25 cm



IP54




STICK - 71371101
 Dark Gray Aluminium
 White Acrylic
 LED E27 1x12 Watt
 220-240 Volt IP54
 Bulb Excluded
 L: 7.6 W: 7.6 H: 80 cm



IP65




NOTEN - 9905023
 Sandy Black Aluminium
 Clear & White Acrylic
 LED 8 Watt 937Lm 3000K
 220-240 Volt IP65
 Beam Angle 120° IP65
 D: 9 H: 20 cm



LED IP65 WARM WHITE




NOTEN - 9905022
 Sandy Black Aluminium
 Clear & White Acrylic
 LED 8 Watt 937Lm 3000K
 220-240 Volt IP65
 Beam Angle 120° IP65
 D: 9 H: 40 cm



LED IP65 WARM WHITE



NOTEN - 9905021
 Sandy Black Aluminium
 Clear & White Acrylic
 LED 8 Watt 937Lm 3000K
 220-240 Volt IP65
 Beam Angle 120° IP65
 D: 9 H: 80 cm




LED IP65 WARM WHITE




IP65



ROCK - 9905025
Sandy Black Aluminium
Silver Aluminium & Clear Acrylic
LED 8 Watt 937Lm
3000K 220-240 Volt
Beam Angle 120° IP65
D: 9 H: 43 cm



ROCK - 9905024
Sandy Black Aluminium
Silver Aluminium & Clear Acrylic
LED 8 Watt 937Lm
3000K 220-240 Volt
Beam Angle 120° IP65
D: 9 H: 83 cm





TALA - 9026123
 Black Aluminium
 & Acrylic
 LED 12 Watt 594Lm
 3000K 100-240V
 Beam Angle 180° IP54
 D: 13.4 H: 25 cm



LED IP54 WARM WHITE





TALA - 9026124
 Black Aluminium
 & Acrylic
 LED 12 Watt 594Lm
 3000K 100-240V
 Beam Angle 180° IP54
 D: 13.4 H: 70 cm



LED IP54 WARM WHITE


IP54






CETERA - 9002873

Black Aluminium & Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 9 W: 14.1 H: 21 cm



CETERA - 9002874

Black Aluminium & Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 9 H: 50 cm



IP54



CETERA - 9002875

Black Aluminium & Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 9 H: 90 cm








IP65



ZOSIA - 9060181
 Dark Gray Aluminum
 & Clear Acrylic
 LED E27 1x12 Watt
 220-240 Volt
 Bulb Excluded IP65
 D: 9 W: 12 H: 25 cm


ZOSIA - 9060182
 Dark Gray Aluminum
 & Clear Acrylic
 LED E27 1x12 Watt
 220-240 Volt
 Bulb Excluded IP65
 D: 9 H: 50 cm





ZOSIA - 9060183
 Dark Gray Aluminum
 & Clear Acrylic Diffuser
 LED E27 1x12 Watt
 220-240 Volt
 Bulb Excluded IP65
 D: 9 H: 80 cm






IP65



FERRON - 9060184

Dark Grey Aluminum & Clear Acrylic Diffuser
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
L: 13 W: 13 H: 50 cm




FERRON - 9060185

Dark Grey Aluminum & Clear Acrylic Diffuser
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
L: 13 W: 13 H: 80 cm




LOCK - 813101

Aluminium Dark Gray
White & Clear Acrylic Diffuser
LED 12 Watt 1047Lm
3000K or 4000K Beam 45°
220-240 Volt 50Hz
AC Driver Included IP54
L: 13.5 W: 16 H: 20 cm



LOCK - 813104

Aluminium Dark Gray
White & Clear Acrylic Diffuser
LED 12 Watt 1047Lm
3000K or 4000K Beam 45°
220-240 Volt 50Hz
AC Driver Included IP54
L: 13.5 W: 13.5 H: 50 cm



IP54






IP65




SELENA - 9492720

Anthracite Die-Casting Aluminum
& Clear Acrylic
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
D: 9 W: 10.1 H: 17.1 cm



SELENA - 9492740

Anthracite Die-Casting Aluminum
& Clear Acrylic
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
L: 8.5 W: 9.8 H: 16 cm





SELENA - 9492730

Anthracite Die-Casting Aluminum
& Clear Acrylic
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
D: 9 H: 65 cm




SELENA - 9492750

Anthracite Die-Casting Aluminum
& Clear Acrylic
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
L: 8.5 W: 8.5 H: 65 cm







IP54



ZEST - 870026
Black Die-Casting Aluminium
Clear Glass
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
L: 18 W: 17 H: 28 cm
BULB EXCL. IP54




ZEST - 870045
Black Die-Casting Aluminium
Clear Glass
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
L: 20 W: 20 H: 29 cm
BULB EXCL. IP54



LOEVE - 9193101
Anthracite Die-Casting
Aluminium & Clear Acrylic
LED E27 1x12 Watt
220-240 Volt IP65
Bulb Excluded
L: 14.5 W: 21.5 H: 27.6 cm
BULB EXCL. IP65

IP65




LOEVE - 9193102
Anthracite Die-Casting
Aluminium & Clear Acrylic
LED E27 1x12 Watt
220-240 Volt IP65
Bulb Excluded
L: 14.5 W: 14.5 H: 22 cm
BULB EXCL. IP65






IP65




FIGO - 9492500
 Anthracite Die-Casting
 Aluminium & Clear Acrylic
 LED E27 1x12 Watt
 220-240 Volt
 Bulb Excluded IP65
 L: 14.5 W: 20.5 H: 43 cm



FIGO - 9060192
 Dark Grey Aluminum
 & Clear Glass
 LED E27 1x12 Watt
 220-240 Volt
 Bulb Excluded IP54
 L: 11 W: 15 H: 24.5 cm



IP54



FIGO - 9060193
 Dark Grey Aluminum
 & Clear Glass
 LED E27 1x12 Watt
 220-240 Volt
 Bulb Excluded IP54
 L: 11 W: 11 H: 50 cm




SORREN - 9197701

Anthracite Die-Casting Aluminium & Clear Glass
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
L: 8.6 W: 9 H: 25.8 cm




REGINA - 9492442

Anthracite Die-Casting Aluminium & Clear Glass
LED E27 2x12 Watt 220-240 Volt
Bulb Excluded IP65
L: 8.6 W: 9 H: 34.8 cm




SORREN - 9197702

Anthracite Die-Casting Aluminium & Clear Glass
LED E27 2x12 Watt
220-240 Volt
Bulb Excluded IP65
L: 22 W: 8.7 H: 22 cm




REGINA - 9492760

Anthracite Die-Casting Aluminium
Clear & Frost Acrylic
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
L: 13.8 W: 10 H: 23.8 cm




REGINA - 9492710

Anthracite Die-Casting Aluminium & Clear Glass
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
L: 15.2 W: 12.2 H: 29.5 cm



IP65






OMIKA - 9060195

Dark Grey Aluminum
& Clear Glass
LED E27 1x12 Watt
110-240 Volt
Bulb Excluded IP54
D: 15 H: 37 cm



OMIKA - 9060197

Dark Grey Aluminum
& Clear Glass
LED E27 1x12 Watt
110-240 Volt
Bulb Excluded IP54
D: 15 H: 88.5 cm




IP54




OMIKA - 9060196

Dark Grey Aluminum
& Clear Glass
LED E27 1x12 Watt
110-240 Volt
Bulb Excluded IP54
D: 15 H: 97 cm



OMIKA - 9060194

Dark Grey Aluminum
& Clear Glass
LED E27 1x12 Watt
110-240 Volt
Bulb Excluded IP54
D: 15 W: 18.5 H: 28 cm





CARINA - 9060208
Black Aluminium
LED 6 Watt 294.84Lm
3000K 220-240V IP65
D: 18 W: 21.5 H: 30 cm

LED IP65 WARM WHITE



CARINA - 9060207
Black Aluminium
LED 6 Watt 279.09 Lm
3000K 220-240V IP65
D: 18 H: 150 cm

LED IP65 WARM WHITE



CARINA - 9060213
Black Aluminium
LED 6 Watt 279.54 Lm
3000K 220-240V IP65
D: 18 W: 27 H: 90 cm

LED IP65 WARM WHITE

IP65






IP54



ISIDORA - 870426
 Black Die-Casting Aluminium
 Clear Glass
 LED E27 1x12 Watt
 220-240 Volt IP54
 Bulb Excluded
 D: 25 W: 27 H: 40 cm




ISIDORA - 870445
 Black Die-Casting Aluminium
 Clear Glass
 LED E27 1x12 Watt
 220-240 Volt IP54
 Bulb Excluded
 D: 22 H: 95 cm




CEMENT WALL & FLOOR






BEV - 9540214

Gray Cement
Glass Diffuser
LED 5 Watt 200Lm
3000K 120-230V IP65
L: 17 W: 17 H: 20 cm



BEV - 9540215

Gray Cement
Glass Diffuser
LED 5 Watt 200Lm
3000K 120-230V IP65
L: 20 W: 20 H: 35 cm



BEV - 9540216


Gray Cement
Glass Diffuser
LED 5 Watt 200Lm
3000K 120-230V IP65
L: 20 W: 20 H: 70 cm




IP65



IP65




CAIRO . 9540217
Gray Cement
Glass Diffuser
LED 8 Watt 380Lm
3000K 120-230V IP65
L: 28 W: 10 H: 35 cm




CAIRO . 9540218
Gray Cement
Glass Diffuser
LED 8 Watt 380Lm
3000K 120-230V IP65
L: 28 W: 10 H: 65 cm






CASTRO - 9762161
 Gray Sandstone & Acrylic
 LED E27 1x12 Watt
 Bulb Excluded
 100-240 Volt IP65
 L: 16 W: 16 H: 16 cm



CASTRO - 9762162
 White Sandstone & Acrylic
 LED E27 1x12 Watt
 Bulb Excluded
 100-240 Volt IP65
 L: 16 W: 16 H: 16 cm



CASTRO - 9739351
 Gray Sandstone & Acrylic
 LED E27 1x12 Watt
 Bulb Excluded
 100-240 Volt IP65
 L: 20 W: 20 H: 35 cm



CASTRO - 9739352
 White Sandstone & Acrylic
 LED E27 1x12 Watt
 Bulb Excluded
 100-240 Volt IP65
 L: 20 W: 20 H: 35 cm

IP65






ARAN - 9540213
 Gray Cement
 Glass Diffuser
 LED 8 Watt 380Lm
 3000K 120-230V IP65
 L: 16 W: 15 H: 50 cm



ARAN - 9540212
 Gray Cement
 Glass Diffuser
 LED 5 Watt 200Lm
 3000K 120-230V IP65
 L: 15 W: 14 H: 70 cm



ARAN - 9540211
 Gray Cement
 Glass Diffuser
 LED 2x5 Watt 850Lm
 3000K 120-230V IP65
 L: 13 W: 14.5 H: 70 cm




IP65




GRANTE . 9790021

Gray Concrete & Aluminium
LED 5 Watt 365Lm 3000K
220-240 Volt IP65
L: 12 W: 12 H: 53 cm




GRANTE . 9790022

Gray Concrete & Aluminium
LED GU10 2x10 Watt
100-240 Volt
Bulb Excluded IP65
L: 20 W: 12 H: 60 cm



BARCO . 9540207

Gray Cement
Glass Diffuser
LED 6 Watt 450Lm
3000K 120-230V IP65
L: 12 W: 12 H: 25 cm



BARCO . 9540208

Gray Cement
Glass Diffuser
LED 6 Watt 450Lm
3000K 120-230V IP65
L: 12 W: 12 H: 60 cm





FOX . 9470582
White Sandstone
Glass Diffuser
LED GU10 1x7 Watt
100-240 Volt
Bulb Excluded IP65
D: 14 H: 16 cm



FOX . 9470581
Dark Gray Sandstone
Glass Diffuser
LED GU10 1x7 Watt
100-240 Volt
Bulb Excluded IP65
D: 14 H: 16 cm




IP65






FUENTO . 9790541

White Sandstone
Glass Diffuser
LED GU10 1x7 Watt IP65
100-240 Volt Bulb Excluded
Light Down
L: 8.6 W: 10 H: 12 cm




FUENTO . 9790542

Gray Concrete
Glass Diffuser
LED GU10 1x7 Watt IP65
100-240 Volt Bulb Excluded
Light Down
L: 8.6 W: 10 H: 12 cm




FUENTO . 9790551

White Sandstone
Glass Diffuser
LED GU10 2x7 Watt IP65
100-240 Volt Bulb Excluded
Light Up & Down
L: 8.6 W: 10 H: 18 cm



FUENTO . 9790552

Gray Concrete
Glass Diffuser
LED GU10 2x7 Watt IP65
100-240 Volt Bulb Excluded
Light Up & Down
L: 8.6 W: 10 H: 18 cm




IP65



EMILE . 9540209


Gray Cement
Glass Diffuser
LED 5 Watt 200Lm
3000K 120-230V IP65
Light Down
L: 9 W: 9.7 H: 11.2 cm





EMILE . 9540210

Gray Cement
Glass Diffuser
LED 5 Watt 200Lm
3000K 120-230V IP65
D: 9 H: 11.2 cm



IP65



LIDO . 9790531

White Sandstone
Glass Diffuser
LED GU10 1x7 Watt IP65
100-240 Volt Bulb Excluded
Light Down
D: 8.6 W: 10 H: 12 cm



LIDO . 9790532

Gray Concrete
Glass Diffuser
LED GU10 1x7 Watt IP65
100-240 Volt Bulb Excluded
Light Down
D: 8.6 W: 10 H: 12 cm



LIDO . 9790521

White Sandstone
Glass Diffuser
LED GU10 2x7 Watt IP65
100-240 Volt Bulb Excluded
Light Up & Down
D: 8.6 W: 10 H: 18 cm



LIDO . 9790522

Gray Concrete
Glass Diffuser
LED GU10 2x7 Watt IP65
100-240 Volt Bulb Excluded
Light Up & Down
D: 8.6 W: 10 H: 18 cm




SOLAR & SENSOR LIGHTS






VALOR - 9492540

Anthracite Die-Casting Aluminium & Frost Acrylic
LED 2 Watt 104Lm
3000K 3.7 Volt
Beam Angle 86° IP65
Switch On/Off
L: 18.6 W: 7.2 H: 14 cm



PRIM - 9492510

Anthracite Die-Casting Aluminium & Clear Glass
LED 2 Watt 197Lm
3000K 3.7 Volt
Beam Angle 100° IP65
L: 18 W: 17.5 H: 3.5 cm




IP65




TRENDO - 9492520

Anthracite Die-Casting Aluminium & Clear Glass
LED 2 Watt 219Lm
3000K 3.7 Volt
Beam Angle 106° IP65
Switch On/Off
L: 12.2 W: 14.6 H: 5 cm




MARTA - 9492530


Anthracite Die-Casting Aluminium & Clear Glass
LED 1 Watt 57Lm
3000K 3.7 Volt
Beam Angle 54° IP65
Switch On/Off
L: 11.3 W: 8.9 H: 11.2 cm



Motion Sensor Activation

Max. distance 5M. Temperature less than 20°C
The lights need to be installed at least 1.5-2.5M.
from the ground.
Charging time: 7-9 hours
Lighting duration : 10-11 hours






Motion Sensor Activation
 Max. distance 5M. Temperature less than 20°C.
 The lights need to be installed at least 1.5-2.5M from the ground.




LOVETO - 9120622

Dimmable
 Anthracite Die-Casting
 Aluminium & Acrylic Diffuser
 LED 1.5 Watt 136Lm 3000K
 3.7 Volt Beam Angle 125° IP65
 Solar / Switch On/Off
 L: 14.5 W: 14.5 H: 50 cm




LOVETO - 9120621

Dimmable
 Anthracite Die-Casting
 Aluminium & Acrylic Diffuser
 LED 1.5 Watt 90Lm 3000K
 3.7 Volt Beam Angle 125° IP65
 Solar / Switch On/Off
 L: 14.5 W: 16.2 H: 24 cm




BAY - 9120711

Dimmable
 Anthracite Die-Casting Aluminium
 Clear Glass & Acrylic Diffuser
 LED 1.5 Watt 82.67Lm 3000K
 3.7 Volt Beam Angle 87° IP65
 Solar / Switch On/Off
 L: 12.6 W: 8.3 H: 25.2 cm



DYN - 9190101

Dimmable
 Anthracite Die-Casting
 Aluminium & Acrylic Diffuser
 LED 1.5 Watt 199.47Lm 3000K
 3.7 Volt Beam Angle 110° IP65
 Solar / Switch On/Off
 L: 16 W: 11.5 H: 6 cm



IP65






SOLAR

BALI - 9922510

Dimmable




Anthracite Die-Casting Aluminium
LED 2 Watt 399.09Lm
3000K DC 5 Volt
Beam Angle 108° IP65
Solar / USB Wire / Switch On/Off
L: 18 W: 18 H: 51 cm



SOLAR

BALI - 9922360

Dimmable



Anthracite Die-Casting Aluminium
LED 2 Watt 265.39Lm
3000K DC 5 Volt
Beam Angle 108° IP65
Solar / USB Wire / Switch On/Off
L: 18 W: 18 H: 36 cm



IP65

PORTABLE



SOLAR

USB CHARGER





WALL LIGHTS



IP54




IP65




VEIRO . 9104835

Anthracite Die-Casting Aluminium & Clear Glass
LED 6 Watt 62Lm 3000K
200-240 Volt IP65
Light up & Down
Beam Angle 40°
L: 9 W: 9.3 H: 20.5 cm




MILEY . 9202262

Sandy Black Aluminium Clear Glass
LED 7 Watt 397Lm 3000K
200-240 Volt IP54
Light up & Down
L: 7.4 W: 7.4 H: 13.6 cm



MILEY . 9202261

Sandy White Aluminium & Glass
LED 7 Watt 397Lm 3000K
200-240 Volt IP54
Light up & Down
L: 7.4 W: 7.4 H: 13.6 cm




MILEY . 9202131

Sandy White Aluminium & Glass
LED 4.5 Watt 304Lm 3000K
200-240 Volt IP54
Light Down
L: 8 W: 4 H: 12 cm






IP65




VIDENO - 9492590

Anthracite Die-Casting Aluminium
& Clear Glass
LED 10 Watt 302Lm
3000K 220-240V
Beam Angle 270° IP65
L: 20 W: 10.3 H: 5.5 cm



ZIRI - 9492570

Anthracite Die-Casting Aluminium
& Clear Glass
LED 10 Watt 284Lm
3000K 220-240V
Beam Angle 96° IP65
D: 18 W: 11.6 H: 4 cm



PURE - 9492560

Anthracite Die-Casting Aluminium
& Frost Acrylic
LED 6 Watt 299Lm
3000K 220-240V
Beam Angle 103° IP65
L: 16 W: 10.2 H: 3.4 cm





FUNGO - 9027201

Dark Gray Aluminium
Glass Diffuser
LED 12 Watt 536Lm
3000K 220-240 Volt 50Hz
Beam Angle 120° IP65
Light Down

L: 22 W: 7.6 H: 3.2 cm



FUNGO - 9027202

Sandy White Aluminium
Glass Diffuser
LED 12 Watt 536Lm
3000K 220-240 Volt 50Hz
Beam Angle 120° IP65
Light Down


L: 22 W: 7.6 H: 3.2 cm



IP65




IP54



ARABELLA - 9026119

White Aluminium
& Clear Glass
LED 6 Watt 398Lm
3000K 100-240V
Beam Angle 50° IP54
L: 11 W: 9 H: 18 cm




CHEZ - 9259361

White Aluminium & Glass
LED 6 Watt 274Lm
3000K 100-240 Volt
Beam Angle 138° IP54
Light Up & Down
L: 13 W: 9 H: 7 cm




CHEZ - 9292211

White Aluminium & Glass
LED 2x5 Watt 560Lm
3000K 100-240 Volt
Beam Angle 90° IP54
Light Up & Down
L: 17 H: 8.5 H: 14 cm



MILE - 9257871

White Aluminium & Glass
LED 9 Watt 475Lm
3000K 100-240 Volt
Beam Angle 155° IP54
Light Up & Down
L: 18 W: 11.5 H: 7.5 cm




MILE - 9262111


White Aluminium & Glass
LED 2x5 Watt 550Lm
3000K 100-240 Volt
Beam Angle 102° IP54
Light Up & Down
L: 18 W: 3.5 H: 9 cm




IP65




FEDOR - 9492630
Anthracite Die-Casting Aluminium & Clear Glass
LED 7.7 Watt 282Lm
3000K 220-240V
Beam Angle 253° IP65
L: 15.6 W: 3.8 H: 9.7 cm
LED IP65 WARM WHITE



COMBO - 9492600
Anthracite Die-Casting Aluminium & Clear Acrylic
LED 7.5 Watt 265Lm
3000K 220-240V
Beam Angle 170° IP65
D: 16 W: 4.6 H: 16.5 cm
LED IP65 WARM WHITE



GOA - 9192171
Anthracite Die-Casting Aluminium & Clear Acrylic
LED G9 1x5 Watt
220-240 Volt
Bulb Excluded IP65
D: 7.7 W: 7.6 H: 14.4 cm
BULB EXCL. IP65




IP54




BRICE - 9136176

Black Aluminium
Glass Diffuser
LED 6 Watt 594Lm
3000K 220-240V IP54
D: 6 W: 12 H: 4 cm



BRICE - 9136177

White Aluminium
Glass Diffuser
LED 6 Watt 594Lm
3000K 220-240V IP54
D: 6 W: 12 H: 4 cm




IP65



CAPO - 9060199

Sandy Black Aluminium
& Tempered Glass Diffuser
LED 3 Watt 184.3Lm
3000K 220-240V IP65
D: 7 W: 6.4 H: 10.5 cm





9492620



9492620




IP65




PARRIS - 9492620

Anthracite Die-Casting Aluminium
& Clear Glass
LED 8.6 Watt 395Lm
3000K 220-240V
Beam Angle 101° IP65
L: 12 W: 12 H: 11.5 cm




SERIKA - 9492580

Anthracite Die-Casting Aluminium
& Clear Glass
LED 8 Watt 188Lm
3000K 220-240V
Beam Angle 222° IP65
L: 11 W: 6 H: 11 cm




ZARO - 9492650

Anthracite Die-Casting Aluminium
& Clear Glass
LED 10.4 Watt 639Lm
3000K 220-240V
Beam Angle 266° IP65
Light Up & Down
L: 9 W: 5.5 H: 10.2 cm



DEWI - 9492640

Anthracite Die-Casting Aluminium
& Clear Glass
LED 7.7 Watt 296Lm
3000K 220-240V
Beam Angle 253° IP65
Light Up & Down
L: 11.8 W: 3.8 H: 9.7 cm



IP65



9492580



9492580



9492650



9492640

IP54



COMO - 741661

Sandy White Aluminium
Glass Diffuser
LED 2x3 Watt 510Lm
3000K 220-240 Volt 50Hz
Beam Angle 2x34° IP54
Light Up & Down

L: 15 W: 7 H: 11 cm



COMO - 741662

Dark Gray Aluminium
Glass Diffuser
LED 2x3 Watt 510Lm
3000K 220-240 Volt 50Hz
Beam Angle 2x34° IP54
Light Up & Down


L: 15 W: 7 H: 11 cm



SOHO - 740401

Dark Gray Aluminium
Glass Diffuser
LED 2x3 Watt 480Lm
3000K 220-240 Volt 50Hz
Beam 2x60° IP54
Light Up & Down


L: 12 W: 3 H: 9 cm



SOHO - 740404

Dark Gray Aluminium
Glass Diffuser
LED 2x5 Watt 800Lm
3000K 220-240 Volt 50Hz
Beam 2x60° IP54
Light Up & Down


L: 18.5 W: 3 H: 10 cm



SOHO - 740402

Sandy White Aluminium
Glass Diffuser
LED 2x3 Watt 480Lm
3000K 220-240 Volt 50Hz
Beam 2x60° IP54
Light Up & Down



L: 12 W: 3 H: 9 cm



SOHO - 740403

Sandy White Aluminium
Glass Diffuser
LED 2x5 Watt 800Lm
3000K 220-240 Volt 50Hz
Beam 2x60° IP54
Light Up & Down

L: 18.5 W: 3 H: 10 cm



IP54



ZARI - 9226217
 Sandy White Aluminium & Glass
 Cree LED 2x2 Watt 285Lm
 3000K 100-240 Volt 50Hz
 Beam Angle 2x38° IP54
 L: 5.5 W: 6.5 H: 6.5 cm
 Light in 2 directions



COMO - 726217
 Sandy White Aluminium & Glass
 LED 2x5 Watt 560Lm
 3000K 220-240 Volt 50Hz
 Beam Angle 2x51° IP54
 D: 11 W: 8.5 cm
 Light in 2 directions



ZARI - 9226216
 Sandy Black Aluminium & Glass
 Cree LED 2x2 Watt 285Lm
 3000K 100-240 Volt 50Hz
 Beam Angle 2x38° IP54
 L: 5.5 W: 6.5 H: 6.5 cm
 Light in 2 directions



COMO - 852436
 Sandy White Aluminium & Glass
 LED 4x1 Watt 265Lm
 3000K 220-240 Volt 50Hz
 Beam Angle 4x51° IP54
 D: 11 W: 8.5 cm
 Light in 4 directions




ZARI - 9226215
 Sandy White Aluminium & Glass
 Osram LED 4x1 Watt 265Lm
 3000K 100-240 Volt 50Hz
 Beam Angle 4x38° IP54
 L: 5.5 W: 6.5 H: 6.5 cm
 Light in 4 directions



ZARI - 9226214
 Sandy Black Aluminium & Glass
 Osram LED 4x1 Watt 265Lm
 3000K 100-240 Volt 50Hz
 Beam Angle 4x38° IP54
 L: 5.5 W: 6.5 H: 6.5 cm
 Light in 4 directions



IP54



IP54

Adjustable



AGILE - 833426

Dark Gray Die-Casting Aluminium
LED 13 Watt 480Lm
3000K 220-240 Volt 50Hz
Adjustable Beam Max 120° IP54
D: 15 W: 11.7 H: 15 cm




IP65

Rotating



BRIN - 9160101

Anthracite Die-Casting Aluminium
Clear Glass
LED 9.5 Watt 340.76Lm
3000K 200-240 Volt
Beam Angle 101° IP65
L: 14 W: 14.5 H: 3.5 cm








IP65



DARF - 9925666
 Sandy Black Aluminium
 ABS Diffuser
 LED 2x5 Watt 840Lm
 3000K 100-240 Volt 50Hz
 Beam Angle 115° IP65
 Light Up & Down
 D: 9.5 W: 10.5 H: 13 cm




DARF - 9925665
 Sandy Black Aluminium
 ABS Diffuser
 LED 5 Watt 420Lm
 3000K 100-240 Volt 50Hz
 Beam Angle 104° IP65
 Light Down
 D: 9.5 W: 10.5 H: 8.5 cm




IP54




NUS - 9200201
 Black Die-Casting
 Aluminium & Acrylic Diffuser
 LED 4 Watt 400.33Lm
 3000K 100-240 Volt
 Beam Angle 120° IP54
 Light Down
 L: 13.2 W: 9 H: 6.9 cm



NUS - 9200202
 Black Die-Casting
 Aluminium & Acrylic Diffuser
 LED 2x4 Watt 943Lm
 3000K 100-240 Volt
 Beam Angle 120° IP54
 Light Up & Down
 L: 13.2 W: 9 H: 7.8 cm



IP65



VITORIA - 8401030

Dark Gray Aluminium
LED 5 Watt 522Lm
3000K 220-240 Volt 50Hz
Beam Angle 120° IP65
AC Driver Included
L: 6.2 W: 12 H: 23.6 cm




Rotating



FOCUS - 752470

Dark Gray Aluminium & Glass
Osram LED 6 Watt 420Lm
3000K 220-240 Volt 50Hz
Beam Angle 44° IP54
L: 8.5 W: 14 H: 12 cm



Rotating



GRAVITY - 810067

Dark Gray Die-Casting Aluminium
Acrylic Diffuser
LED 12.5 Watt 591.13Lm
3000K 220-240 Volt 50Hz
Rotation IP54
D: 14 W: 4.8 H: 14 cm



Rotating



PIER - 810066

Dark Gray Die-Casting Aluminium
Acrylic Diffuser
LED 13 Watt 723.32Lm
3000K 220-240 Volt 50Hz
Rotation IP54
L: 14 W: 4.8 H: 14 cm




IP54





IP54



Adjustable Beam Angle



COMO - 747406
Sandy White Aluminium
LED 2x3 Watt 510Lm
3000K 220-240 Volt 50Hz
Adjustable Beam 0-90° IP54
L: 11.2 W: 11.2 H: 11.2 cm



Adjustable Beam Angle



COMO - 847406
Antique Brown Aluminium
LED 2x3 Watt 510Lm
3000K 220-240 Volt 50Hz
Adjustable Beam 0-90° IP54
L: 11.2 W: 11.2 H: 11.2 cm



Adjustable Beam Angle



COMO - 847408
Black Aluminium
LED 2x3 Watt 510Lm 3000K
220-240 Volt 50Hz
Adjustable Beam 0-90° IP54
L: 11.2 W: 11.2 H: 11.2 cm




Adjustable Beam Angle




COMO - 847407
Dark Gray Aluminium
LED 2x3 Watt 510Lm 3000K
3000K 220-240 Volt 50Hz
Adjustable Beam 0-90° IP54
L: 11.2 W: 11.2 H: 11.2 cm



IP54




Adjustable Beam Angle



EPIC - 9136174
Black Aluminium
LED 2x10 Watt 1950Lm
3000K 220-240 Volt 50Hz
Adjustable Beam 0-90° IP54
L: 15 W: 15 H: 15 cm



Adjustable Beam Angle



EPIC - 9136175
White Aluminium
LED 2x10 Watt 1950Lm
3000K 220-240 Volt 50Hz
Adjustable Beam 0-90° IP54
L: 15 W: 15 H: 15 cm





AZAR - 9026116

Black Aluminium
& Acrylic
LED 2x2 Watt 400Lm
3000K 500mA 100-240V
Beam Angle 68° IP54
Light Up & Down
L: 5 W: 4 H: 9 cm




IP54



OVI - 9136182

Black Aluminium
Glass Diffuser
LED GU10 1x7 Watt
220-240 Volt IP54
Bulb Excluded Light Down
D: 10 W: 11 H: 9 cm



DEWEI - 9026117

Black Aluminium
& Acrylic
LED 2x2 Watt 400Lm
3000K 500mA 100-240V
Beam Angle 68° IP54
Light Up & Down
L: 5 W: 4 H: 9 cm



IP54




DEWEI - 9026118

White Aluminium
& Acrylic
LED 2x2 Watt 400Lm
3000K 500mA 100-240V
Beam Angle 68° IP54
Light Up & Down
L: 5 W: 4 H: 9 cm







NERO - 710022
 Dark Gray Aluminium
 Glass Diffuser
 LED GU10 2x7 Watt
 220-240 Volt IP54
 Bulb Excluded
 Light Up & Down
 D: 7 W: 8 H: 15 cm




NERO - 710021
 Dark Gray Aluminium
 Glass Diffuser
 LED GU10 1x7 Watt
 220-240 Volt IP54
 Bulb Excluded
 Light Down
 D: 7 W: 8 H: 8 cm



NERO - 710042
 Dark Gray Aluminium
 Glass Diffuser
 LED GU10 2x7 Watt
 220-240 Volt IP54
 Bulb Excluded
 Light Up & Down
 L: 6.7 W: 8 H: 15 cm



NERO - 710041
 Dark Gray Aluminium
 Glass Diffuser
 LED GU10 1x7 Watt
 220-240 Volt IP54
 Bulb Excluded
 Light Down
 L: 6.7 W: 8 H: 8 cm




IP54




NERO - 910022
 Aluminium White
 Glass Diffuser
 LED GU10 2x7 Watt
 220-240 Volt IP54
 Bulb Excluded
 Light Up & Down
 D: 7 W: 8 H: 15 cm




NERO - 910021
 Aluminium White
 Glass Diffuser
 LED GU10 1x7 Watt
 220-240 Volt IP54
 Bulb Excluded
 Light Down
 D: 7 W: 8 H: 8 cm



NERO - 910042
 Aluminium White
 Glass Diffuser
 LED GU10 2x7 Watt
 220-240 Volt IP54
 Bulb Excluded
 Light Up & Down
 L: 6.7 W: 8 H: 15 cm



NERO - 910041
 Aluminium White
 Glass Diffuser
 LED GU10 1x7 Watt
 220-240 Volt IP54
 Bulb Excluded
 Light Down
 L: 6.7 W: 8 H: 8 cm






IP54



LIMBIO - 9010601
 White ABS
 Glass Diffuser
 LED GU10 1x7 Watt
 Bulb Excluded IP44
 Light Down
 D: 6 W: 8.5 H: 12 cm



LIMBIO - 9010602
 Black ABS
 Glass Diffuser
 LED GU10 1x7 Watt
 Bulb Excluded IP44
 Light Down
 D: 6 W: 8.5 H: 12 cm



IP44



NODUS - 773221
 Dark Gray Aluminium
 Glass Diffuser
 LED GU10 1x7 Watt
 220-240 Volt IP54
 Bulb Excluded
 Light Down
 D: 6.5 W: 10.4 H: 11 cm



NODUS - 773223
 Dark Gray Aluminium
 Glass Diffuser
 LED GU10 2x7 Watt
 220-240 Volt IP54
 Bulb Excluded
 Light Up & Down
 D: 6.5 W: 10.4 H: 18 cm



NODUS - 773222
 Antique Brown Aluminium
 Glass Diffuser
 LED GU10 1x7 Watt
 220-240 Volt IP54
 Bulb Excluded
 Light Down
 D: 6.5 W: 10.4 H: 11 cm



NODUS - 773224
 Antique Brown Aluminium
 Glass Diffuser
 LED GU10 2x7 Watt
 220-240 Volt IP54
 Bulb Excluded
 Light Up & Down
 D: 6.5 W: 10.4 H: 18 cm



LIMBIO - 9010622
 Black ABS
 Glass Diffuser
 LED GU10 2x7 Watt
 Bulb Excluded IP44
 Light Up & Down
 D: 8 W: 8.5 H: 16 cm





LIMBIO - 9010621
 White Acrylic
 Glass Diffuser
 LED GU10 2x7 Watt
 Bulb Excluded IP44
 Light Up & Down
 D: 8 W: 8.5 H: 16 cm

IP65



LUPO - 9926617

Black Aluminium
Acrylic Diffuser
LED 10 Watt 380Lm
3000K 220-240 Volt 50Hz
Beam Angle 64° IP65
L: 11 W: 8.5 H: 25 cm




NOBU - 9060206

Sandy Black Aluminium
& Tempered Glass Diffuser
Silicone Gasket
LED 15 Watt 496.9Lm
3000K 220-240V IP65
L: 19.3 W: 4.7 H: 12.7 cm



KEEN - 9160081


Dark Gray Aluminium
Acrylic Diffuser
LED 12 Watt 936Lm
3000K 220-240 Volt 50Hz
Beam Angle 75° IP65
L: 22.5 W: 6.5 H: 9.5 cm






LETO . 9060203

Sandy Black Aluminium
Acrylic Diffuser
LED 18 Watt 2132Lm
3000K 220-240V
Beam Angle 120° IP65
L: 14.5 W: 10.2 H: 29 cm




LETO . 9060204

Sandy Black Aluminium
Acrylic Diffuser
LED 18 Watt 2132Lm
3000K 220-240V
Beam Angle 120° IP65
L: 29 W: 14.5 H: 10.2 cm



LETO . 9060202

Sandy Black Aluminium
Acrylic Diffuser
LED 18 Watt 2132Lm
3000K 220-240V
Beam Angle 120° IP65
L: 14.5 W: 10.2 H: 29 cm



LETO . 9060205

Sandy Black Aluminium
Acrylic Diffuser
LED 10 Watt 1208Lm
3000K 220-240V
Beam Angle 120° IP65
L: 14.5 W: 10.2 H: 17.5 cm




IP65






KEEN - 9270027
 Sandy Black Aluminium
 Acrylic Diffuser
 LED 12 Watt 1080Lm
 3000K 220-240 Volt 50Hz
 Beam Angle 108° IP65
 L: 18 W: 9 H: 9 cm




KEEN - 9270028
 Sandy White Aluminium
 Acrylic Diffuser
 LED 12 Watt 1080Lm
 3000K 220-240 Volt 50Hz
 Beam Angle 108° IP65
 L: 18 W: 9 H: 9 cm




IP65




ZENON - 9492610
 Anthracite Die-Casting
 Aluminium & Frost Acrylic
 LED 10 Watt 558Lm
 3000K 220-240V
 Beam Angle 114° IP65
 L: 18 W: 7.5 H: 9 cm




CAPE - 9492550
 Anthracite Die-Casting Aluminium
 Frost Acrylic & Clear Glass
 LED 10 Watt 763Lm
 3000K 220-240V
 Beam Angle 112° IP65
 L: 20 W: 7.4 H: 20 cm



IP65



KEEN - 9270015
 Sandy Black Aluminium
 Acrylic Diffuser
 LED 12 Watt 1080Lm
 3000K 220-240 Volt 50Hz
 Beam Angle 108° IP65
 L: 9 W: 7 H: 18 cm



KEEN - 9270016
 Sandy White Aluminium
 Acrylic Diffuser
 LED 12 Watt 1080Lm
 3000K 220-240 Volt 50Hz
 Beam Angle 108° IP65
 L: 9 W: 7 H: 18 cm





IP65



DROPLET - 9522101

Sandy White Aluminium & Acrylic
LED 6 Watt 230Lm
3000K 100-240 Volt 50Hz
Beam Angle 64° IP65
L: 13 W: 2.5-4.5 H: 16 cm



DROPLET - 9522102

Sandy Black Aluminium & Acrylic
LED 6 Watt 230Lm
3000K 100-240 Volt 50Hz
Beam Angle 64° IP65
L: 13 W: 2.5-4.5 H: 16 cm



IP65



TUNE - 9529712

Sandy White Aluminium & Acrylic
LED 9 Watt 620Lm
3000K 100-240 Volt 50Hz
Beam Angle 112° IP65
D: 15 W: 5.5 cm



TUNE - 9529713

Sandy Black Aluminium & Acrylic
LED 9 Watt 620Lm
3000K 100-240 Volt 50Hz
Beam Angle 112° IP65
D: 15 W: 5.5 cm



TUNE - 9529720

Sandy White Aluminium & Acrylic
LED 9 Watt 620Lm
3000K 100-240 Volt 50Hz
Beam Angle 115° IP65
L: 15 W: 5.5 H: 15 cm




TUNE - 9529721

Sandy Black Aluminium & Acrylic
LED 9 Watt 620Lm
3000K 100-240 Volt 50Hz
Beam Angle 115° IP65
L: 15 W: 5.5 H: 15 cm







ZENITH • 9020933
 Dark Gray Stainless Aluminium
 Anti-Glare Acrylic Diffuser
 LED E27 1x12 Watt
 220-240 Volt
 Bulb Excluded IP44
 L: 30.3 W: 9 H: 10 cm




ZENITH • 9020932
 Dark Gray Stainless Aluminium
 Anti-Glare Acrylic Diffuser
 LED E27 1x12 Watt
 220-240 Volt
 Bulb Excluded IP44
 L: 30.3 W: 9 H: 10 cm



ZENITH • 713212
 Dark Gray Aluminium
 White Acrylic Diffuser
 LED E27 1x12 Watt
 220-240 Volt
 Bulb Excluded IP44
 L: 23 W: 9.5 H: 26.4 cm




ZENITH • 713514
 Dark Gray Aluminium
 White Acrylic Diffuser
 LED E27 1x12 Watt
 220-240 Volt
 Bulb Excluded IP44
 L: 23 W: 9.5 H: 26.4 cm




IP44




ZENITH • 713115
 White Aluminium
 White Acrylic Diffuser
 LED E27 1x12 Watt
 220-240 Volt
 Bulb Excluded IP44
 L: 30.5 W: 9 H: 10.5 cm



ZENITH • 713114
 Antique Brown Aluminium
 White Acrylic Diffuser
 LED E27 1x12 Watt
 220-240 Volt
 Bulb Excluded IP44
 L: 30.5 W: 9 H: 10.5 cm



ZENITH • 713113
 Dark Gray Aluminium
 White Acrylic Diffuser
 LED E27 1x12 Watt
 220-240 Volt
 Bulb Excluded IP44
 L: 30.5 W: 9 H: 10.5 cm



IP44






SPIKES

IP65



Rotating & Adjustable




FEND - 9271431
Black Aluminium & Glass
LED 5 Watt 378Lm
3000K 100-240 Volt
Beam Angle 21° IP65
D: 5 W: 7 H: 12 cm
LED IP65 WARM WHITE

Rotating & Adjustable




FEND - 9271491
Black Aluminium & Glass
LED 10 Watt 883.4Lm
3000K 100-240 Volt
Beam Angle 24° IP65
D: 6.5 W: 9 H: 15 cm
LED IP65 WARM WHITE

Rotating & Adjustable




FEND - 9271433
Black Aluminium & Glass
LED 5 Watt 378Lm
3000K 100-240 Volt
Beam Angle 21° IP65
D: 5 W: 9 H: 64 cm
LED IP65 WARM WHITE

Rotating & Adjustable



FEND - 9971451
Black Aluminium & Glass
LED 5 Watt 378Lm
3000K 100-240 Volt
Beam Angle 21° IP65
D: 5 W: 7 H: 12 cm
LED IP65 WARM WHITE

Rotating & Adjustable



FEND - 9971452
Black Aluminium & Glass
LED 10 Watt 742Lm
3000K 100-240 Volt
Beam Angle 24° IP65
D: 6.5 W: 9 H: 15 cm
LED IP65 WARM WHITE




IP65



STAKE . 9271432

Black Aluminium & Glass
LED 5 Watt 378Lm
3000K 100-240 Volt 50Hz
Beam Angle 21° IP65
D: 5 W: 9 H: 33 cm




STAKE . 9271492

Black Aluminium & Glass
LED 10 Watt 742Lm
3000K 100-240 Volt 50Hz
Beam Angle 24° IP65
D: 6.5 W: 11 H: 35 cm



STAKE . 9971455

Black Aluminium & Glass
LED 5 Watt 378Lm
3000K 100-240 Volt 50Hz
Beam Angle 21° IP65
D: 5 W: 7 H: 45 cm




IP54




KIMIKO . 9026126

Black Aluminium
& Clear Glass
LED GU10 1x10 Watt
220-240 Volt
Bulb Excluded IP54
D: 7 H: 12.5 cm



KIMIKO . 9026127


Black Aluminium
& Clear Glass
LED GU10 1x10 Watt
220-240 Volt
Bulb Excluded IP54
D: 7 W: 12.5 H: 21 cm



IP65




Rotating & Adjustable



VIDA - 9026128
Black Aluminium & Clear Glass
LED GU10 1x10 Watt
220-240 Volt
Bulb Excluded IP65
D: 7 W: 9.5 H: 21 cm




Rotating & Adjustable




CALIX - 9172870
Black Aluminium & Clear Glass
LED 3W Watt 273Lm
3000K 220-240 Volt
Beam Angle 24° IP65
D: 40 W: 7.3 H: 22.5 cm



IP54




Rotating & Adjustable




DESTRY - 9136184
Black Aluminium & Clear Glass
Honeycomb Antiglare Diffuser
LED GU10 1x10 Watt
220-240 Volt
Bulb Excluded IP54
D: 5.5 W: 9.5 H: 11.5 cm



Rotating & Adjustable



DESTRY - 9136183
Black Aluminium & Clear Glass
Honeycomb Antiglare Diffuser
LED GU10 1x10 Watt
220-240 Volt
Bulb Excluded IP54
D: 5.5 W: 9.5 H: 30 cm





Adjustable

INSIDE - 9010001


Sandy Black Aluminium & Glass
LED 3 Watt 295.06Lm
3000K 220-240 Volt 50Hz
Beam Angle 24° IP65
D: 4.5 W: 9 H: 21-26 cm



Adjustable

INSIDE - 9010003

Sandy Black Aluminium & Glass
LED 3 Watt 303.24Lm
3000K 220-240 Volt 50Hz
Beam Angle 24° IP65
D: 4.2 W: 7 H: 21-24 cm



Adjustable

INSIDE - 9010002


Sandy Black Aluminium & Glass
LED 7 Watt 578.7Lm 3000K
220-240 Volt 50Hz
Beam Angle 24° IP65
D: 6.5 W: 13 H: 24-31 cm



Adjustable

INSIDE - 9010005

Sandy Black Aluminium & Glass
LED 7 Watt 578.7Lm
3000K 220-240 Volt 50Hz
Beam Angle 24° IP65
D: 6.5 W: 10 H: 24-28 cm



IP65



BASE - 9010006

Sandy Black Aluminium
D: 5.5 W: 5.5 H: 4 cm
Combine with 9010002 & 9010005



Adjustable

MINI - 9010004

Sandy Black Aluminium & Glass
LED 3 Watt 303.24Lm
3000K 220-240 Volt 50Hz
Beam Angle 24° IP65
D: 4.2 W: 7 H: 5.5-8 cm





IP54



NORTH - 9240677
 Black Aluminium & Glass
 LED 10 Watt 700Lm
 3000K 100-240 Volt 50Hz
 Beam Angle 38° IP65
 D: 9 W: 9.5 cm



NORTH - 9240678
 Black Aluminium & Glass
 LED 20 Watt 1500Lm
 3000K 100-240 Volt 50Hz
 Beam Angle 38° IP65
 D: 12 W: 18 cm



NORTH - 9240679
 Black Aluminium & Glass
 LED 30 Watt 2800Lm
 3000K 100-240 Volt 50Hz
 Beam Angle 38° IP65
 D: 15 W: 20.5 cm



NORTH - 742071
 Aluminium Dark Gray & Glass
 LED 18 Watt 1440Lm 3000K
 100-240 Volt 50Hz
 Beam Angle 48° IP65
 W: 19.5 L: 13 H: 20-29 cm



IP65



INSIDE - 767801
 Dark Gray Aluminium & Glass
 LED GU10 1x7 Watt
 220-240 Volt IP54
 Bulb Excluded
 D: 11 H: 20 cm



INSIDE - 875409
 Dark Gray Aluminium & Glass
 LED GU10 1x7 Watt
 220-240 Volt IP54
 Bulb Excluded
 D: 7.5 W: 15 H: 36 cm





CEILING LIGHTS

IP54



DARA - 9136178

Black Aluminium
Glass Diffuser
LED 9 Watt 579Lm
3000K 100-240 Volt 50Hz
Beam Angle 120° IP54
D: 8 H: 11 cm



DARA - 9136179

White Aluminium
Glass Diffuser
LED 9 Watt 579Lm
3000K 100-240 Volt 50Hz
Beam Angle 120° IP54
D: 8 H: 11 cm



FOCUS - 752461

Sandy Black Aluminium
Glass Diffuser
Gx53 7 Watt 423.8Lm
3000K 220-240 Volt 50Hz
Beam Angle 77° IP54
D: 10 H: 6.5 cm



FOCUS - 752463

Dark Grey Aluminium
Glass Diffuser
Gx53 7 Watt 423.8Lm
3000K 220-240 Volt 50Hz
Beam Angle 77° IP54
D: 10 H: 6.5 cm



FOCUS - 752462

Sandy White Aluminium
Glass Diffuser
Gx53 7 Watt 423.8Lm
3000K 220-240 Volt 50Hz
Beam Angle 77° IP54
D: 10 H: 6.5 cm





IP65



CECI - 9220021

Sandy White Aluminium
Glass Diffuser
Osram LED 3 Watt 230Lm
3000K 100-240 Volt 50Hz
Beam 52° IP65
D: 5.5 H: 11 cm



CECI - 9200612

Sandy White Aluminium
Glass Diffuser
Osram LED 6 Watt 520Lm
3000K 100-240 Volt 50Hz
Beam 76° IP65
D: 9 H: 11 cm



CECI - 9220022

Sandy Black Aluminium
Glass Diffuser
Osram LED 3 Watt 230Lm
3000K 100-240 Volt 50Hz
Beam 52° IP65
D: 5.5 H: 11 cm



CECI - 9200611

Sandy Black Aluminium
Glass Diffuser
Osram LED 6 Watt 520Lm
3000K 100-240 Volt 50Hz
Beam 76° IP65
D: 9 H: 11 cm



IP54



CERISE - 9020021
 Dark Gray Die-Casting
 Aluminium & Glass Diffuser
 LED GU10 1x7 Watt IP54
 220-240 Volt Bulb Excluded
 D: 6 H: 10.5 cm



CERISE - 9040021
 White Die-Casting
 Aluminium & Glass Diffuser
 LED GU10 1x7 Watt IP54
 220-240 Volt Bulb Excluded
 D: 6 H: 10.5 cm



CERISE - 9020061
 Dark Gray Die-Casting
 Aluminium & Glass Diffuser
 LED GU10 1x7 Watt IP54
 220-240 Volt Bulb Excluded
 D: 9 H: 9 cm



CERISE - 9040061
 White Die-Casting
 Aluminium & Glass Diffuser
 LED GU10 1x7 Watt IP54
 220-240 Volt Bulb Excluded
 D: 9 H: 9 cm




CERISE - 9020022
 Dark Gray Die-Casting
 Aluminium & Glass Diffuser
 LED GU10 1x7 Watt IP54
 220-240 Volt Bulb Excluded
 L: 8.6 W: 8.6 H: 9 cm




CERISE - 9040022
 White Die-Casting
 Aluminium & Glass Diffuser
 LED GU10 1x7 Watt IP54
 220-240 Volt Bulb Excluded
 L: 8.6 W: 8.6 H: 9 cm



IP65





OLIVER - 9944603
Sandy Black Aluminium
Acrylic Diffuser
LED 20 Watt 1550Lm
3000K 100-240 Volt 50Hz
Beam Angle 92° IP65
D: 27 H: 7 cm




OLIVER - 9944602
Sandy White Aluminium
Acrylic Diffuser
LED 20 Watt 1550Lm
3000K 100-240 Volt 50Hz
Beam Angle 92° IP65
D: 27 H: 7 cm



IP54



TOMMY - 9521001
Dark Gray ABS & Acrylic Diffuser
LED 25 Watt 3728Lm
3000K 220-240 Volt 50Hz
Beam Angle 85° IP54
AC Driver Included
D: 32 H: 6 cm



TOMMY - 9521002
Dark Gray ABS & Acrylic Diffuser
LED 21 Watt 2391Lm
3000K 220-240 Volt 50Hz
Beam Angle 85° IP54
AC Driver Included
L: 28 W: 28 H: 6 cm






SPOT LIGHTS




BLADE . 9232116

White Aluminium
LED 12 Watt 720Lm
3000K Beam 38° IP65
D: 7.8 H: 7.5 cm



BLADE . 9232115

Black Aluminium
LED 12 Watt 720Lm
3000K Beam 38° IP65
D: 7.8 H: 7.5 cm



BLADE . 9232119


White Aluminium
LED 12 Watt 720Lm
3000K Beam 38° IP65
D: 8.5 H: 5.4 cm



BLADE . 9232120

Black Aluminium
LED 12 Watt 720Lm
3000K Beam 38° IP65
D: 8.5 H: 5.4 cm




Rotating 

BLADE . 9232117

White Aluminium
LED 12 Watt 720Lm
3000K Beam 38° IP65
D: 9 H: 4.7 cm



Rotating 

BLADE . 9232118

Black Aluminium
LED 12 Watt 720Lm
3000K Beam 38° IP65
D: 9 H: 4.7 cm



IP65






PORTABLE LIGHTS

Charging time: 7-10hrs


- Touch 1: 100% of light - 4hrs
- Touch 2: 40% of light - 10 hrs
- Touch 3: 10% of light - 50 hrs

IP54



FUMO - 9002863

Dimmable
White Aluminium & Acrylic
LED 2 Watt 230Lm
3000K 220-240 Volt
Beam Angle 163° IP54
Switch On/Off / USB Wire
D: 11.8 H: 30 cm




FUMO - 9002864

Dimmable
Black Aluminium & Acrylic
LED 2 Watt 230Lm 3000K
3000K 220-240 Volt
Beam Angle 163° IP54
Switch On/Off / USB Wire
D: 11.8 H: 30 cm



USB
CHARGER



FABIO - 9492441

Dimmable
Black Die-Casting Aluminium
& Frost Acrylic
LED 2 Watt 280Lm
3000K DC 5 Volt
Beam Angle 83° IP54
Switch On/Off / USB Wire
D: 19 H: 38 cm



Charging time: 4.5hrs
 • Touch 1: 100% of light - 10hrs
 • Touch 2: 50% of light - 20 hrs



IP54


TWO DIFFERENT TYPES OF CHARGING




PG RECHARGING BASE



USB TYPE C



SEINA - 9223406
 Dimmable
 Sandy Black Aluminium & Acrylic
 LED 2 Watt 192Lm
 2700K DC 5 Volt IP54
 Switch On/Off
 Rechargeable with PG base or White USB Type C Wire
 D: 11.4 H: 39.5 cm



SEINA - 9223407
 Dimmable
 Sandy White Aluminium & Acrylic
 LED 2 Watt 192Lm
 2700K DC 5 Volt IP54
 Switch On/Off
 Rechargeable with PG base or White USB Type C Wire
 D: 11.4 H: 39.5 cm




BASE - 9223408
 Sandy Black Aluminium
 PG Recharging Base Compatible with codes 9223406 & 9223407



ADAPTOR - 9223409
 Black adaptor 5V 2A



ADAPTOR - 9223410
 White adaptor 5V 2A




Charging time: 4.5hrs
 • Touch 1: 100% of light - 10hrs
 • Touch 2: 50% of light - 20 hrs




SEINA - 9223403

Dimmable
 Sandy Brown Aluminium & Acrylic
 LED 2 Watt 192Lm
 2700K DC 5 Volt IP54
 Switch On/Off/ USB Type C Wire
 Rechargeable with PG base
 D: 11.4 H: 39.5 cm




SEINA - 9223405

Dimmable
 Sandy Olive Green Aluminium & Acrylic
 LED 2 Watt 192Lm
 2700K DC 5 Volt IP54
 Switch On/Off/ USB Type C Wire
 Rechargeable with PG base
 D: 11.4 H: 39.5 cm



SEINA - 9223404

Dimmable
 Sandy Balsalt Grey Aluminium & Acrylic
 LED 2 Watt 192Lm
 2700K DC 5 Volt IP54
 Switch On/Off / USB Type C Wire
 Rechargeable with PG base
 D: 11.4 H: 39.5 cm



IP54






IP54 PORTABLE

Charging time: 7-8hrs
 • Touch 1: 100% of light - 8-9hrs
 • Touch 2: 5% of light - 280 hrs




COLT - 9223412

Dimmable
 Sandy Rust Brown Die-Casting Aluminium & Acrylic
 LED 2 Watt 207Lm 3000K IP54
 Beam Angle 62° DC 5 Volt
 Switch On/Off USB Wire
 D: 8 H: 30 cm




COLT - 9223414

Dimmable
 Sandy Olive Green Die-Casting Aluminium & Acrylic
 LED 2 Watt 207Lm 3000K IP54
 Beam Angle 62° DC 5 Volt
 Switch On/Off USB Wire
 D: 8 H: 30 cm



COLT - 9223413

Dimmable
 Sandy Dark Grey Die-Casting Aluminium & Acrylic
 LED 2 Watt 207Lm 3000K IP54
 Beam Angle 62° DC 5 Volt
 Switch On/Off USB Wire
 D: 8 H: 30 cm



ADAPTOR - 9223409

Black adaptor 5V 2A




ADAPTOR - 9223410

White adaptor 5V 2A





COLT - 9223415

Dimmable
 Sandy White Die-Casting Aluminium & Acrylic
 LED 2 Watt 207Lm 3000K IP54
 Beam Angle 62° DC 5 Volt
 Switch On/Off USB Wire
 D: 8 H: 30 cm



COLT - 9223411

Dimmable
 Sandy Black Die-Casting Aluminium & Acrylic
 LED 2 Watt 207Lm 3000K IP54
 Beam Angle 62° DC 5 Volt
 Switch On/Off USB Wire
 D: 8 H: 30 cm





IP54 PORTABLE 


Charging time: 7-8hrs
 • Touch 1: 100% of light - 8-9hrs
 • Touch 2: 5% of light - 280 hrs



COLT - 9223999
 Dimmable
 Sandy Rust Brown Die-Casting Aluminium & Acrylic
 LED 2 Watt 207Lm 3000K IP54
 Beam Angle 62° DC 5 Volt
 Switch On/Off USB Wire
 D: 11 W: 11 H: 38 cm



COLT - 9223998
 Dimmable
 Sandy Olive Green Die-Casting Aluminium & Acrylic
 LED 2 Watt 207Lm 3000K IP54
 Beam Angle 62° DC 5 Volt
 Switch On/Off USB Wire
 D: 11 W: 11 H: 38 cm




COLT - 9223997
 Dimmable
 Sandy Dark Grey Die-Casting Aluminium & Acrylic
 LED 2 Watt 207Lm 3000K IP54
 Beam Angle 62° DC 5 Volt
 Switch On/Off USB Wire
 D: 11 W: 11 H: 38 cm



COLT - 9121911
 Dimmable
 Sandy White Die-Casting Aluminium & Acrylic
 LED 2 Watt 207Lm 3000K IP54
 Beam Angle 62° DC 5 Volt
 Switch On/Off USB Wire
 D: 11 W: 11 H: 38 cm



COLT - 9121912
 Dimmable
 Sandy Black Die-Casting Aluminium & Acrylic
 LED 2 Watt 207Lm 3000K IP54
 Beam Angle 62° DC 5 Volt
 Switch On/Off USB Wire
 D: 11 W: 11 H: 38 cm



ADAPTOR - 9223409
 Black adaptor 5V 2A



ADAPTOR - 9223410
 White adaptor 5V 2A






Charging time: 4-5hrs
 • Touch 1: 100% of light - 7-8hrs
 • Touch 2: 5% of light - 280 hrs

IP54



ROSE - 9281380

White Aluminium & Acrylic
 LED 2 Watt 207Lm
 3000K DC 5 Volt IP54
 Switch On/Off / USB Wire
 D: 11.5 W: 11.8 H: 32 cm




COLT - 9223400

Dimmable
 Sandy Black Die-Casting Aluminium & Acrylic
 LED 2 Watt 207Lm 3000K IP54
 Beam Angle 62° DC 5 Volt
 Switch On/Off USB Wire
 D: 11 W: 11 H: 38 cm




ROSE - 9281381

Black Aluminium & Acrylic
 LED 2 Watt 207Lm
 3000K DC 5 Volt IP54
 Switch On/Off / USB Wire
 D: 11.5 W: 11.8 H: 32 cm




COLT - 9223401

Dimmable
 Sandy White Die-Casting Aluminium & Acrylic
 LED 2 Watt 207Lm 3000K IP54
 Beam Angle 62° DC 5 Volt
 Switch On/Off USB Wire
 D: 11 W: 11 H: 38 cm



Charging time: 7-8hrs
 • Touch 1: 100% of light - 8-9hrs
 • Touch 2: 5% of light - 280 hrs





Charging time: 7-10hrs

- Touch 1: 100% of light - 4hrs
- Touch 2: 40% of light - 10 hrs
- Touch 3: 10% of light - 50 hrs



VERHAL - 9002862

Dimmable
 Black Aluminium
 & Clear Glass
 LED 2 Watt 200Lm
 3000K 3.7 Volt
 Beam Angle 360° IP54
 Solar / USB Wire / Switch On/Off
 L: 16 W: 16 H: 47.5 cm




VERHAL - 9002861

Dimmable
 White Aluminium
 & Clear Glass
 LED 2 Watt 200Lm
 3000K 3.7 Volt
 Beam Angle 360° IP54
 Solar / USB Wire / Switch On/Off
 L: 16 W: 16 H: 47.5 cm




JIGRA - 9002876

Dimmable
 Black Aluminium
 & Acrylic
 LED 2 Watt 200Lm
 3000K 3.7 Volt
 Beam Angle 306° IP54
 Switch On/Off / USB Wire
 D: 16 W: 16 H: 22.8 cm




JIGRA - 9002877


Dimmable
 Black Aluminium
 & Acrylic
 LED 2 Watt 210Lm
 3000K 3.7 Volt
 Beam Angle 339° IP54
 Switch On/Off / USB Wire
 D: 16 W: 16 H: 22 cm



IP54 **PORTABLE**  **SOLAR** 




IP65 PORTABLE 



FIGI - 9923500
Dimmable
Anthracite Die-Casting
Aluminium
LED 2 Watt 271.41Lm
3000K DC 5 Volt
Beam Angle 108° IP65
Touch Lamp / Battery / USB Wire
L: 14.5 W: 14.5 H: 50 cm




 USB CHARGER



FIGI - 9922350
Dimmable
Anthracite Die-Casting
Aluminium
LED 2 Watt 207Lm
3000K DC 5 Volt
Beam Angle 108° IP65
Touch Lamp / Battery / USB Wire
L: 14.5 W: 14.5 H: 35 cm





IP54



MOCHA - 9492700
Anthracite Die-Casting Aluminium
& Clear Glass
LED 2 Watt 191Lm
3000K DC 5 Volt
Beam Angle 96° IP54
D: 15 W: 15 H: 35 cm



Charging time: 3hrs
• Touch 1: 100% of light - 4hrs
• Touch 2: 40% of light - 10 hrs
• Touch 3: 10% of light - 50 hrs



VENEDO - 9002865
Dimmable
Black Aluminium
& Acrylic
LED 2 Watt 180 Lm
3.7 Volt 3000K IP54
D: 10.2 W: 10.2 H: 15 cm



 USB CHARGER



IP54



STEP LIGHTS



LIV - 9018062

Dark Gray Die-Casting Aluminium & Glass Diffuser
 LED 3.5 Watt 245.3Lm
 3000K 200-240 Volt
 Beam Angle 120° IP54
 L: 13 W: 3 H: 5.5 cm




LIV - 9018061

White Die-Casting Aluminium & Glass Diffuser
 LED 3.5 Watt 245.3Lm
 3000K 200-240 Volt
 Beam Angle 120° IP54
 L: 13 W: 3 H: 5.5 cm




VISION - 9492690

Anthracite Die-Casting Aluminium & Clear Acrylic
 LED 1.5 Watt 34Lm
 3000K 220-240V
 Beam Angle 50° IP54
 L: 10 W: 2.9 H: 6.7 cm



RIO - 9492670

Anthracite Die-Casting Aluminium & Clear Glass
 LED 6 Watt 122.31Lm
 3000K 220-240V
 Beam Angle 266° IP65
 L: 22.7 W: 3.5 H: 12.7 cm



IP54






FINLO - 9117080
 Grey Concrete IP65
 L: 10 W: 1.7 H: 10 cm



FINLO - 9117086
 Grey Concrete IP65
 L: 10 W: 1.7 H: 10 cm




FINLO - 9117084
 Grey Concrete IP65
 L: 10 W: 1.7 H: 10 cm



SOURCE - 9117082
 Grey Aluminium
 LED 3.5 Watt 111.65Lm
 3000K 220-240V IP65
 HEP DRIVER
 Compatible with: 9117080,
 9117084, 9117086
 L: 6.5 W: 6.7 H: 3.9 cm



IP65




IP54




KRYPTON - 710446
Dark Gray Aluminium & Glass
LED 6 Watt 480Lm
3000K 220-240 Volt 50Hz
Beam Angle 31° IP54
D: 16 W: 9.6 cm



KRYPTON - 726408
Dark Gray Aluminium
LED 3 Watt 270Lm
3000K 220-240 Volt 50Hz
Beam Angle 15° IP54
L: 8.5 W: 5 H: 8.5 cm




KRYPTON - 752250
Dark Gray Aluminium
LED 6 Watt 751Lm
3000K 220-240 Volt 50Hz
Beam Angle 32° IP54
L: 15 W: 7.5 H: 15 cm




IP65




LUTON - 8403624
Dark Gray ABS
LED 1.2 Watt
145Lm 3000K IP65
100-220 Volt 50Hz
RC Driver Included
L: 12.5 W: 3.3 H: 12.5 cm



LUTON - 8403622
Dark Gray ABS
LED 1.6 Watt
212Lm 3000K IP65
100-220 Volt 50Hz
RC Driver Included
L: 23 W: 3.3 H: 8 cm



LUTON - 8403626
Dark Gray ABS
LED 1.2 Watt
150Lm 3000K IP65
100-220 Volt 50Hz
RC Driver Included
L: 12.5 W: 3.3 H: 8.3 cm






IP65




BRIGI - 9020927

Dark Grey Acrylic Cover & Diffuser
 LED 1.2 Watt 158.99Lm
 3000K 220-240V IP65
 D: 11 W: 3.1 H: 11 cm




ARNE - 9492680

Anthracite Die-Casting Aluminium & Clear Acrylic
 LED 1.5 Watt 39Lm
 3000K 220-240V
 Beam Angle 50° IP54
 D: 12 W: 2.9 H: 12 cm



AIZEN - 9026120

White Aluminium & Clear Glass
 LED 3 Watt 16Lm 3000K
 600mA 100-240V
 Beam Angle 148° IP54
 Cut Out: L: 12.6 W: 4.2 H: 6 cm
 L: 13.5 W: 5 H: 6.5 cm
 Junction Box Included



IP54





JOYA - 9944141

Sandy Black Aluminium
LED 3 Watt 16.3Lm
3000K 100-240 Volt 50Hz
Beam Angle 21° IP65
D: 6.5 W: 4 H: 6 cm
Cut Out: 5.5 cm





JOYA - 9944142

Sandy Black Aluminium
LED 3 Watt 23.3Lm
3000K 100-240 Volt 50Hz
Beam Angle 19° IP65
D: 6.5 W: 4 H: 6 cm
Cut Out: 5.5 cm



COVE - 9083011


Matt White Die-Casting Aluminium
& Glass Diffuser
LED 1.5 Watt 118.5Lm
3000K 200-240 Volt
Beam Angle 120° IP54
L: 14 W: 3.8 H: 7.7 cm
Junction Box Not Included
Cut Out: L: 13.2 W: 5 H: 7.4 cm



IP54




IP65



COVE - 9083021

Matt White Die-Casting Aluminium
& Glass Diffuser
LED 1.5 Watt 118.5Lm
3000K 200-240 Volt
Beam Angle 120° IP54
L: 7.7 W: 3.8 H: 14 cm
Junction Box Not Included
Cut Out: L: 7.4 W: 5 H: 13.2 cm






IP54




PULSAR - 812302

Dark Gray ABS
LED 4 Watt 526.7Lm
3000K 220-220 Volt 50Hz
Beam Angle 32° IP54
AC Driver Included
L: 14 W: 3 H: 14 cm




PULSAR - 811201

Dark Gray ABS
LED 2 Watt 268.9Lm
3000K 220-220 Volt 50Hz
Beam Angle 29° IP54
AC Driver Included
L: 12 W: 3 H: 12 cm




PULSAR - 812102

Dark Gray ABS
LED 4 Watt 461.9Lm
3000K 220-220 Volt 50Hz
Beam Angle 38° IP54
AC Driver Included
L: 23 W: 3 H: 10 cm




PULSAR - 811502

Dark Gray ABS
LED 2 Watt 365.14Lm
3000K 220-220 Volt 50Hz
Beam Angle 32° IP54
AC Driver Included
L: 23 W: 3 H: 8 cm




PULSAR - 811501

Dark Gray ABS
Acrylic Diffuser
LED 4 Watt 557Lm
3000K or 4000K
220-220 Volt 50Hz
Beam Angle 62° IP54
AC Driver Included
L: 23 W: 3 H: 8 cm




PULSAR - 812103

Dark Gray ABS
Acrylic White Diffuser
LED 6 Watt 683Lm
3000K or 4000K
220-220 Volt 50Hz
Beam Angle 67° IP54
AC Driver Included
L: 23 W: 10 H: 6.5 cm



PULSAR - 812104

Dark Gray ABS
Acrylic White Diffuser
LED 6 Watt 480Lm
3000K or 4000K
220-220 Volt 50Hz
Beam Angle 48° IP54
AC Driver Included
L: 23 W: 10 H: 6.7 cm



IP54

IP54



KRYPTON - 726407

Dark Gray Aluminium
LED 3 Watt 95.9Lm
3000K 220-240 Volt 50Hz
Beam Angle 27° IP54
D: 8 W: 5.5 cm
Cut Out: D: 7.7 x W: 5.3 cm



KRYPTON - 727002

Dark Gray Aluminium
LED 3 Watt 132Lm
3000K 220-240 Volt 50Hz
Beam Angle 15° IP54
L: 8 W: 7 H: 8 cm
Cut Out: L: 6.4 x W: 6.7 cm




KRYPTON - 727001

White Aluminium
LED 3 Watt 132Lm
3000K 220-240 Volt 50Hz
Beam Angle 15° IP54
L: 8 W: 7 H: 8 cm
Cut Out: L: 6.4 x W: 6.7 cm





KRYPTON - 726402

White Aluminium
LED 3 Watt 352.9Lm
3000K 220-240 Volt 50Hz
Beam Angle 15° IP54
L: 11 W: 6 H: 7 cm
Cut Out: 10.2 x 6.5 cm



KRYPTON - 726401

Dark Gray Aluminium
LED 3 Watt 352.9Lm
3000K 220-240 Volt 50Hz
Beam Angle 15° IP54
L: 11 W: 6 H: 7 cm
Cut Out: 10.2 x 6.5 cm






IP54




KRYPTON - 726405

White Aluminium
LED 3 Watt 202Lm
3000K 220-240 Volt 50Hz
Beam Angle 17° IP54
L: 13.5 W: 8 H: 5.5 cm
Cut Out: 12.7 x 4.5 cm




KRYPTON - 726406

Dark Gray Aluminium
LED 3 Watt 202Lm
3000K 220-240 Volt 50Hz
Beam Angle 17° IP54
L: 13.5 W: 8 H: 5.5 cm
Cut Out: 12.7 x 4.5 cm




KRYPTON - 726403

White Aluminium
LED 2 Watt 95Lm
3000K 220-240 Volt 50Hz
Beam Angle 17° IP54
L: 8.5 W: 8 H: 5.5 cm
Cut Out: 8.1 x 4.2 cm



KRYPTON - 726404

Dark Gray Aluminium
LED 2 Watt 95Lm
3000K 220-240 Volt 50Hz
Beam Angle 17° IP54
L: 8.5 W: 8 H: 5.5 cm
Cut Out: 8.1 x 4.2 cm



IP54



IP54



CIRCE - 9136185

Black Aluminium
LED 3 Watt 170Lm
220-240 Volt 50Hz
3000K IP54
D: 7 H: 6.5 cm
Cut Out: 5.5 cm



CIRCE - 9136186

White Aluminium
LED 3 Watt 170Lm
220-240 Volt 50Hz
3000K IP54
D: 7 H: 6.5 cm
Cut Out: 5.5 cm



CIRCE - 9136187

Black Aluminium
LED 3 Watt 170Lm
220-240 Volt 50Hz
3000K IP54
D: 7 H: 6.5 cm
Cut Out: 5.5 cm



CIRCE - 9136188

White Aluminium
LED 3 Watt 170Lm
220-240 Volt 50Hz
3000K IP54
D: 7 H: 6.5 cm
Cut Out: 5.5 cm





PASSAGIO - 8090801

White Aluminium
LED 1 Watt 18.09Lm 3000K
3 Volt 50Hz IP54
L: 3.7 W: 2.2 H: 3.7 cm
Cut Out: 3.2 cm
Cable Length 1.80m
Connect it with driver 9020170



PASSAGIO - 9045418

Black Aluminium
LED 1 Watt 18.09Lm 3000K
3 Volt 50Hz IP54
L: 3.7 W: 2.2 H: 3.7 cm
Cut Out: 3.2 cm
Cable Length 1.80m
Connect it with driver 9020170



PASSAGIO - 9045514

White Aluminium
LED 1 Watt 32.76Lm 3000K
3 Volt 50Hz IP54
L: 3.7 W: 2.2 H: 3.7 cm
Cut Out: 3.2 cm
Cable Length 1.80m
Connect it with driver 9020170



PASSAGIO - 8058001

White Aluminium
LED 1 Watt 41.36Lm 3000K
3 Volt 50Hz IP54
L: 3.9 W: 2.2 H: 3.9 cm
Cut Out: 3.4 cm
Cable Length 1.80m
Connect it with driver 9020170



PASSAGIO - 9031616

White Aluminium
LED 1 Watt 69.7Lm 3000K
3 Volt 50Hz IP54
D: 3.7 W: 2.2 H: 3.7 cm
Cut Out: 3.2 cm
Cable Length 1.80m
Connect it with driver 9020170





PASSAGIO - 9002601

White Aluminium
LED Chip Cree 2 Watt 40.45Lm
100-240 Volt 50Hz 3000K
Beam 49° IP54
D: 5 W: 5 H: 5 cm
Cut Out: 4.5 cm
Driver Included



IP54





BANG - 9019212
 Satin Nickel Aluminium
 LED 1 Watt 104.8Lm 3000K
 3 Volt 50Hz IP67
 D: 3.7 H: 5.3 cm
 Cut Out: 3.2 cm
 Cable Length 1.80m
 Connect it with driver 9020170



BANG - 9019213
 Satin Nickel Aluminium
 LED 1 Watt 98.24Lm 3000K
 3 Volt 50Hz IP67
 D: 3.7 H: 5.3 cm
 Cut Out: 3.2 cm
 Cable Length 1.80m
 Connect it with driver 9020170



BANG - 9203113
 Satin Nickel Aluminium
 LED 1 Watt 60Lm 3000K IP67
 100-240 Volt 50Hz
 Beam 42° Driver Included
 D: 4.2 H: 7 cm
 Cut Out: 3.7 cm



BANG - 9203111
 Satin Nickel Aluminium
 LED 1 Watt 60Lm 3000K IP67
 100-240 Volt 50Hz
 Beam 42° Driver Included
 D: 4.2 H: 9 cm
 Cut Out: 3.7 cm



BANG - 9203112
 Satin Nickel Aluminium
 LED 1 Watt 60Lm 3000K IP67
 100-240 Volt 50Hz
 Beam 51° Driver Included
 D: 4.2 H: 9 cm
 Cut Out: 3.7 cm



BANG - 8038801
 White Aluminium
 LED 1 Watt 19Lm
 3 Volt 50Hz
 3000K IP67
 D: 3.7 H: 5.3 cm
 Cut Out: 3.2 cm



BANG - 8038401
 White Aluminium
 LED 1 Watt 104.8Lm
 3 Volt 50Hz
 3000K IP67
 D: 3.7 H: 5.3 cm
 Cut Out: 3.2 cm



BANG - 8039001
 White Aluminium
 LED 1 Watt 11.4Lm
 3 Volt 50Hz
 3000K IP67
 D: 3.7 H: 5.3 cm
 Cut Out: 3.2 cm



CABLE LENGTH 1.80m

DON'T FORGET TO CONNECT THEM WITH DRIVER | code: 9020170



DRIVER - 9020170

Driver 4W ACTEC MINI IP65
 Input: 100-240V AC 50/60Hz
 Output: 3-12 VDC
 350mA Not Dimmable






WALL WASHER

Rotation 30°



WALL WASHER - 9011161

Wall Washer
Sandy Black Aluminium & Glass
LED Chip Cree 32 Watt 3387.5Lm
3000K DC24V Adjustable
Beam Angle 30° IP67
L: 100 W: 6.5 H: 12 cm
Max Power 300 Watt




Rotation 30°



WALL WASHER - 9011162

Wall Washer
Sandy Black Aluminium & Glass
LED Chip Cree 44 Watt 4222.3Lm
3000K DC24V Adjustable
Beam Angle 30° IP67
L: 100 W: 6.5 H: 12 cm
Max Power 300 Watt




Rotation 30°



WALL WASHER - 9011164

Wall Washer RGB
Sandy Black Aluminium & Glass
LED Chip Epistar 36 Watt 3420Lm
DC24V Adjustable
Beam Angle 30° IP67
L: 100 W: 5.5 H: 12 cm
Max Power 300 Watt



RGB



CONTROLLER - 9011101


DMX CONTROLLER
Used to Control Max 1000 pcs




IP67 WATERPROOF




INSTALLATION



CONNECTION: 9011161 - 9011162



CONNECTION: 9011164








Rotation 45°

WALL WASHER - 9011102


Wall Washer
Satin Nickel Aluminium & Glass
LED Chip Philips 15 Watt
746Lm 3000K DC24V
Beam Angle 30° IP67
L: 100 W: 2.5 H: 3.5 cm



INSTALLATION



IP67 WATERPROOF / ULTRA THIN



IP65 WATERPROOF / ULTRA NARROW / 7°



ALP - 9010009

Sandy Black Aluminium & Glass
LED Chip Cree 2x10 Watt 1857Lm
220-240 Volt 50Hz 3000K
Beam Angle 7° IP65
D: 5.5 W: 7 H: 17 cm




ALP - 9010008

Sandy Black Aluminium & Glass
LED Chip Cree 10 Watt 565Lm
220-240 Volt 50Hz 3000K
Beam Angle 7° IP65
D: 5.5 W: 7 H: 10 cm



INSTALLATION



code	page	code	page	code	page	code	page	code	page
710021	148	773222	150	9002850	56	9020061	180	9060195	84
710022	148	773223	150	9002851	56	9020170	228	9060196	84
710041	148	773224	150	9002860	56	9020921	50	9060197	84
710042	148	810066	140	9002861	203	9020922	50	9060199	128
710446	212	810067	140	9002862	203	9020923	52	9060202	154
711024	40	811201	219	9002863	190	9020924	52	9060203	154
713113	160	811501	218	9002864	190	9020925	50	9060204	154
713114	160	811502	219	9002865	205	9020926	52	9060205	154
713115	160	812102	219	9002866	36	9020927	214	9060206	153
713121	34	812103	218	9002867	36	9020928	49	9060207	86
713122	34	812104	218	9002868	36	9020929	48	9060208	86
713123	34	812302	219	9002869	10	9020930	48	9060213	86
713124	40	813101	75	9002870	11	9020931	49	9083011	217
713212	161	813104	75	9002871	12	9020932	160	9083021	217
713311	44	819502	32	9002872	12	9020933	160	9100916	22
713312	32	819503	32	9002873	70	9026001	59	9100917	22
713313	32	822642	54	9002874	70	9026002	59	9100918	22
713411	44	826423	54	9002875	70	9026116	146	9104021	26
713412	62	833426	136	9002876	202	9026117	146	9104022	26
713514	161	847406	142	9002877	202	9026118	146	9104835	118
726217	135	847407	142	9002878	14	9026119	124	9117080	210
726401	220	847408	142	9002879	14	9026120	214	9117082	210
726402	220	852436	135	9010001	170	9026121	16	9117084	210
726403	222	859438	46	9010002	170	9026122	16	9117086	210
726404	222	859439	46	9010003	170	9026123	68	9120621	112
726405	223	870026	78	9010004	170	9026124	68	9120622	112
726406	223	870045	78	9010005	170	9026125	14	9120711	112
726407	220	870426	88	9010006	170	9026126	166	9121911	198
726408	212	870445	88	9010008	235	9026127	166	9131201	42
727001	220	875409	172	9010009	235	9026128	168	9131202	42
727002	220	910021	148	9010601	151	9027201	122	9136174	144
740401	132	910022	148	9010602	151	9027202	122	9136175	144
740402	132	910041	148	9010621	151	9031616	226	9136176	128
740403	132	910042	148	9010622	151	9040021	180	9136177	128
740404	132	8038401	228	9011101	232	9040022	180	9136178	176
741661	132	8038801	228	9011102	234	9040061	180	9136179	176
741662	132	8039001	228	9011161	232	9045418	226	9136182	147
742071	173	8058001	226	9011162	232	9045514	226	9136183	168
747406	142	8090801	226	9011163	232	9060181	72	9136184	168
752250	212	8401030	140	9011164	232	9060182	72	9136185	224
752461	176	8403622	212	9018061	208	9060183	72	9136186	224
752462	176	8403624	213	9018062	208	9060184	74	9136187	224
752463	176	8403626	212	9019212	228	9060185	74	9136188	224
752470	140	9002601	226	9019213	228	9060192	80	9160081	152
767801	172	9002840	24	9020021	180	9060193	80	9160101	136
773221	150	9002841	24	9020022	180	9060194	84	9172870	168

code	page	code	page	code	page
9176101	28	9223999	134	9492560	120
9176102	28	9226214	134	9492570	130
9190101	112	9226215	134	9492580	120
9192171	126	9226216	134	9492590	156
9193101	78	9226217	186	9492600	126
9193102	78	9232115	186	9492610	130
9195061	27	9232116	186	9492620	126
9195062	27	9223117	186	9492630	131
9197701	82	9232118	186	9492640	54
9197702	82	9232119	186	9492650	131
9200201	139	9232120	173	9492660	208
9200202	139	9240672	173	9492670	214
9200611	178	9240678	173	9492680	208
9200612	178	9240679	124	9492690	204
9202131	118	9257871	124	9492700	82
9202261	118	9259361	124	9492710	76
9202262	118	9262111	157	9492720	76
9203111	228	9270015	157	9492730	76
9203112	228	9270016	156	9492740	76
9203113	228	9270027	156	9492750	82
9207167	47	9270028	164	9492760	38
9207168	47	9271431	164	9492770	38
9207615	59	9271432	166	9492780	182
9207616	58	9271433	166	9521001	182
9207912	18	9271491	164	9521002	159
9209211	60	9271492	59	9522101	159
9209212	60	9277151	18	9522102	158
9220021	178	9279111	18	9529712	158
9220022	178	9279112	200	9529713	158
9223400	201	9281380	200	9529720	158
9223401	201	9281381	20	9529721	158
9223403	194	9291701	20	9540207	100
9223404	194	9291702	20	9540208	100
9223405	194	9291703	20	9540209	104
9223406	192	9292211	124	9540210	106
9223407	192	9297191	46	9540211	98
9223408	192	9470581	102	9540212	98
9223409	192	9470582	102	9540213	98
9223410	192	9492441	190	9540214	92
9223411	196	9492442	82	9540215	92
9223412	196	9492500	110	9540216	92
9223413	196	9492510	110	9540217	94
9223414	196	9492520	110	9540218	94
9223415	198	9492530	120	9739351	96
9223997	198	9492540	120	9739352	96
9223998	198	9492550	156	9756500	30

	A	
32	ACQUA	
192	ADAPTOR	
12	ADURO	
136	AGILE	
58	AGOSTO	
214	AIZEN	
235	ALP	
44	APOLLO	
124	ARABELLA	
98	ARAN	
214	ARNE	
146	AZAR	
	B	
114	BALI	
228	BANG	
100	BARCO	
170.192	BASE	
112	BAY	
92	BEV	
186	BLADE	
32	BLISS	
128	BRICE	
214	BRIGI	
48.49	BRIGITTA	
136	BRIN	
	C	
94	CAIRO	
168	CALIX	
156	CAPE	
128	CAPO	
86	CARINA	
96	CASTRO	
178	CECI	
180	CERISE	
70	CETERA	
124	CHEZ	
224	CIRCE	
196.198.201	COLT	
126	COMBO	
132.135.142	COMO	
232	CONTROLLER	
217	COVE	
	D	
176	DARA	
138	DARF	
168	DESTROY	
54	DEVORA	
146	DEWEI	
131	DEWI	
228	DRIVER	
159	DROPLET	
112	DYN	
	E	
22	ELLERY	
104.106	EMILE	
42	ENZI	
144	EPIC	

	F	
190	FABIO	
126	FEDOR	
164-165	FEND	
74	FERRON	
204	FIGI	
80	FIGO	
210	FINLO	
18.140.176	FOCUS	
102	FOX	
104	FUENTO	
190	FUMO	
122	FUNGO	
	G	
126	GOA	
100	GRANTE	
140	GRAVITY	
	I	
170-172	INSIDE	
88	ISIDORA	
	J	
202	JIGRA	
216	JOYA	
	K	
152.156.157	KEEN	
166	KIMIKO	
213.220.222.223	KRYPTON	
	L	
154	LETO	
106.107	LIDO	
151	LIMBIO	
208	LIV	
75	LOCK	
78	LOEVE	
112	LOVETO	
152	LUPO	
213	LUTON	
	M	
10.11	MABEL	
110	MARTA	
58	MAX	
124	MILE	
118	MILEY	
170	MINI	
14	MINOT	
204	MOCHA	
	N	
26	NED	
148	NERO	

153	NOBU	
150	NODUS	
173	NORTH	
64	NOTEN	
139	NUS	
	O	
36	OFIR	
182	OLIVER	
84	OMIKA	
147	OVI	
	P	
40	PARK	
130	PARRIS	
226	PASSAGIO	
30	PAX	
140	PIER	
38	POET	
24	PORTAL	
42	POSEN	
110	PRIM	
218.219	PULSAR	
120	PURE	
60	PYRO	
	R	
20	RAMO	
82	REGINA	
208	RIO	
66	ROCK	
200	ROSE	
	S	
192.194	SEINA	
76	SELENA	
130	SERIKA	
132	SOHO	
82	SORREN	
210	SOURCE	
166	STAKE	
54	STARK	
62	STICK	
56	STONE	
46.47	SUITE	
28	SURF	
	T	
16. 68	TALA	
14	TIEN	
182	TOMMY	
110	TRENDO	
158	TUNE	
34	TWIN	
	V	
110	VALOR	
118	VEIRO	
205	VENEDO	
203	VERHAL	

168	VIDA	
120	VIDENO	
208	VISION	
140	VITORIA	
27	VOLVEL	
	W	
232.234	WALL WASHER	
	Z	
134	ZARI	
131	ZARO	
50.52	ZELDA	
160.161	ZENITH	
156	ZENON	
78	ZEST	
120	ZIRI	
72	ZOSIA	

NOVA LUCE
www.novaluce.com